


```



```

OBJECTS, NAMES AND NAMESPACES

Identifiers

Use : [a-zA-Z_][a-zA-Z0-9]*
 Special usage for underscore :
 __xxx__ global not imported by import *
 __xxx__ implementation detail, for internal use (good practice)
 __xxx__ 'private' class members, defined as _ClassName__xxx__
 __xxx__ normally reserved by Python

Case is significant : This_Name != THIS_NAME.

Objects and Names, Reference Counting

Data are typed objects (all data), names are dynamically bound to objects.
 = assignment statement bind result of right part evaluation into left part name(s)/container(s). Examples :
 a = 3*c+5 a,b = ("Hello", "World") x,y,tabz[i] = fct(i)
 s = "Hello" pi,e = 3.14,2.71 a,b = b,a

When an object is no longer referenced (by names or by containers), it is destroyed (its __del__ method is then called).

sys.getrefcount(object) → int: current reference counter of object

Standard module weakref define tools to allow objects to be garbage collected when necessary and dynamically re-created on-demand.

Mutable/Immutable Objects

Mutable objects can be modified in place. Immutable objects cannot be modified (must build a new object with new value).

Immutable : bool, int, long, float, complex, string, unicode, tuple, frozenset, buffer, slice.

Mutable : list, set, dict and other high level class objects.

There is no constant definition. Just use uppercase names to identify symbols which must not be modified.

Namespaces

Places where Python found names.
 Builtins namespace → names from module __builtins__, already available.

Global namespace → names defined at module level (zero indentation).
 Local namespace → names defined in methods/functions.

del name ▶ remove existing name from namespace (remove object binding)
 globals() → dict: identifier→value of global namespace
 locals() → dict: identifier→value of local namespace

Current scope → names directly usable. Searched in locals, then locals from enclosing definitions, then globals, then builtins.

Out-of-scope name → use the dotted attribute notation x.y (maybe x.y.z.t)... where x is a name visible within the current scope.

Class namespace → names defined in a class (class members).

Object namespace → names usable with object.name notation (attributes,

methods).

Namespaces can be nested, inner namespaces hiding identical names from outer namespaces.

dir([object]) → list: names defined in object namespace¹
 vars([object]) → dict²: identifier:value of object as a namespace¹
¹ if object not specified use nearest namespace (locals).
² must not be modified.

Constants, Enumerations

Use uppercase and _ for constants identifiers (good practice). May define namespaces to group constants. Cannot avoid global/local name redefinition (can eventually define namespaces as classes with attributes access control - not in Python spirit, and execution cost). See third party modules pyenum for strict enum-like namespace.

FLOW CONTROL

Condition

```

if cond : inst
[ elif cond : inst ]
[ else : inst ]

```

There is no 'switch' or 'case'.
 Can use if elif elif... else.
 Can use a mapping with functions bound to cases.

Loop

```

for var[, ...] in iterable : inst
[ else : inst ]
while cond : inst
[ else : inst ]

```

Exit loop with break.
 Go to next iteration with continue.
 Loops else blocs only executed when loop exit normally (without break).

Functions/methods exit

Exit function/method with return [value]
 Exit from generator body with yield value
 Multiple returned values using tuple data.
 Cannot yield within a try/finally block.

Exceptions

```

try : inst
except [ except_class [,value] ] : inst
...

```

Can have a tuple of classes for except_class. Not specifying a class catch all exceptions.
 Block else executed when try block exit normally.

```

try : inst
finally : inst

```

| Process finally block in all execution paths (normal or exception).
 raise exception_class[,value[,traceback]]
 raise exception_object
 raise

Last form re-raise the currently caught exception in an exception handler.

Iterable Protocol

Generic and simple protocol allowing to iterate on any collection of data. Objects of class defining __iter__ or __getitem__ are iterable (directly usable in for loops).

```

__iter__(self) → iterator on self
iter(object) → iterator on iterable object
iter(callable,sentinel) → iterator returning callable() values up to sentinel
enumerate(iterable) → iterator returning tuples (index,value) from iterable

```

Iterators Objects Interface

```

next(self) → next item1
iter_(self) → iterator object itself

```

¹ When reach end of collection, raise StopIteration exception on subsequent calls (ie. iterator usable only one time on a collection).

Generators

Functions retaining their state between two calls. Return values using yield. Stop generation via simple return or via raise StopIteration.

- 1) build generator from function : gen=generatorfct(args)
- 2) use gen.next() values until StopIteration is raised.

Generator iterable expressions with : (x for x in iterable where cond)

Operations with/on Iterable

See Operations on Containers (p7).

See Iteration Tools (p9).

INTERPRETATION / EXECUTION

compile(string¹,filename,kind²[,flags³[,dont_inherit³]]) → code object
 eval(expression[,globals[,locals]]) → value: evaluation⁴ of expression string
 eval(code_object[,globals[,locals]]) → value: evaluation⁴ of code_object
 exec⁵ statements [in globals[,locals]] ▶ statements string¹ executed⁴
 execfile(filename[,globals[,locals]]) ▶ file filename interpreted⁴

¹ Multi-line statements in source code must use \n as newline, and must be terminated by a newline.

² Kind relative to string content, 'exec' → sequence of statements, 'eval' → single expression, 'single' → single interactive statement.

³ Flags and dont_inherit are for future statements (see doc).

⁴ In context of globals and locals namespaces.

⁵ Exec is a langage statement, others are builtin functions.

FUNCTIONS DEFINITIONS & USAGE

```

def fctname ([paramname]=defaultvalue[, ...][,*args][,**kwargs]) :
    instructions
new.function(code,globals[,name[,argdefs]]) → python function (see docs)

```

Parameters / Return value

Parameters are passed by references to objects.

You can modify values of mutable objects types.

You cannot modify values of immutable objects types - as if they were passed by value.

Notation * → variable list of anonymous parameters in a tuple.

Notation ** → variable list of named parameters in a dict.

Return value(s) with return [value[,...]]

For multiple values, return a tuple. If no return value specified or if end of function definition reached, return None value.

Lambda functions

```

lambda param[, ...] : expression

```

Anonymous functions defined inline. Result of expression evaluation is returned (it must be an expression, no loop, no condition).

| Expression uses values known at definition time (except for params).

Callable Objects

Objects having a __call__ method can be used as functions.

Methods bound to objects can be used as functions : f = o.method

callable(X) → bool: test x callable with x(...)

Calling Functions

```

[name=] fctname ([expr[, ...]][,name=expr[, ...][,*args][,**args]])

```

Anonymous parameters passed in parameters order declaration.

Params having default value can be omitted.

Notation * → pass variable list of anonymous parameters in a tuple.

Notation ** → pass variable list of named parameters in a dict.

Functions Control

sys.getrecursionlimit() → int: current recursion limit for functions

sys.setrecursionlimit(limit) ▶ set recursion limit for functions

Decorators

Glue code (functions) called at functions and methods definitions time, return the final function/method (generally with wrapping code).

```

@decoratorname [(decorator_arguments)] [...]
def fct(fct_arguments) : ...
    @dec1 @dec2(args) @dec3           def fct(...):...
        like   fct = dec1(dec2(args)(dec3(fct)))

```

See page [PythonDecoratorLibrary](#) in python.org Wiki for some decorators definitions.

TYPES/CLASSES & OBJECTS

All data are typed objects relying to classes.

`type(o)` → `type`: type object of `o`

Standard module `types` define type objects for builtins types.

Class Definition

```

class classname [(parentclass[,...])] :
    varname = expr > varname defined in classname namespace
    def metname(self[...]) : > define methods like functions
Support multiple inheritance. Can inherit from builtin class.
Inherit at least from object base class => Python 'new style class'.
First parameter of methods is target object, standard use self name.
Access class members via class name, object members via self.
| This doc consider you use new style class (inheriting from object).
new.classobj(name, baseclasses, dict) → new class (see docs)
new.instancemethod(fct, instance, class) → new method: bound to instance
it it is not None, see docs

```

Metaclass

Class definition create a new type. It can be done 'by hand' with :

```
x = type('classname', (parentclass[...]), {varname : expr[...]})
def metname(self[...]): ...
x.metname = metname
```

This allow creation of metaclass class (class building other class).

Object Creation

`obj = ClassName(initargs...)`

In case of exception during initialization, object is destroyed when exiting init code (reference counter reach zero).

`new.instance(class[, dict])` → object: create new class instance without calling `__init__` method, `dict` is initial object attributes

Classes & Objects Relations

`isinstance(obj, classinfo)` → `bool`: test object kind of type/class classinfo
`issubclass(aclass, aparent)` → `bool`: test same class or parent relationship
| Prefer `isinstance()` to `type()` for type checking.

Parent class methods are not automatically called if overriden in subclass - they must be explicitly called if necessary.

Call parent methods via `super` function :

```
super(ThisClass, self).methodname(self, args...)
```

Or the old way, via parent class namespace :

```
ParentClass.methodname(self, args...)
```

Attributes Manipulation

`object.name = value`
`setattr(object, name, value)` > object attribute set to value
`object.name` → value of object attribute
`getattr(object, name[, default])` → value of object attribute
`del object.name`
`delattr(object, name)` > object attribute removed

Special Methods

Other special overridable `xxx` methods are listed in respective sections.

Object Life

```

new_(classref, initargs...) → object of classref type, already initialized^
_init_(self, initargs...) > called to initialize object with initargs
_del_(self) > called when object will be destroyed

```

|¹ If don't return a classref object, then `object.__init__` is called with initargs.

Object Cast

```

__repr__(self) → str: called for repr(self) and `self`
__str__(self) → str: called for str(self) and print self
__coerce__(self, other) → value, called for coerce(self,other)

```

Object Hash Key

```

__hash__(self) → int: 32 bits hash code for object, used for hash(obj) and
quick dict mapping keys comparison - default implementation use
hash(id(self))

```

Attributes access

| See also "Descriptors protocol" infra.

```

__getattr__(self, name) → value, called for undefined attributes
__getattribute__(self, name) → value, always called
__setattr__(self, name, value) > called for obj.name=value
__delattr__(self, name) > called for del obj.name
__call__(self, *args, **kwargs) → value, called for obj(...)

```

Static method / Class method

Use standard decorators (see Decorators p2).

```

class ClassName :
    @staticmethod
    def methodname(...): ...
    @classmethod
    def methodname(classref,...): ...

```

Descriptors protocol

Descriptors are attribute objects controling access to attributes values. They must define some of following methods :

```

__get__(self, obj, ownerclass) → attribute value for obj
__set__(self, obj, value) > modify attribute in obj. set to value
__delete__(self, obj) > remove attribute from obj

```

In these methods `self` is the descriptor object, and `obj` is the target object which attribute is manipulated.

Properties

A descriptor to directly bind methods/functions to control attribute access. Use builtin type `property` with init args.

```

class MyClass :
    attributename = property(getter, setter, deleter, description)
| Each init arg default to None (ie. undefined).

```

Copying Objects

Assignment only duplicate references. To shallow copy an object (build a new one with same values - referencing same content), or to deep copy an object (deep-copying referenced content), see object copy methods, and functions in standard module `copy`.

`copy.copy(object)` → value: shallow copy of object

`copy.deepcopy(object[, memo], [nil])` → value: deep copy of object¹

|¹ Params `memo` and `nil` are used in recursive deepcopy, their default values are `None` and empty list.

Copy Protocol

```

__copy__(self) → value: shallow copy of self, called by copy.copy(...)
__deepcopy__(self, memo) → value: deep copy of self, called by
copy.deepcopy(...)

```

| For copying, objects can define pickling protocol too (see Files - Serialization - p12), in place of `__copy__` and `__deepcopy__`.

Introspection

Beyond this documentation. Many `xxx` attributes are defined, some are writable (see other docs).

See standard module `inspect` to manipulate these data.

Example of Introspection Attributes

| Note: classes are objects too!

```

__base__ → list: parent classes of a class
__slots__ → tuple: allowed objects attributes names1 of a class
__class__ → class/type: object's class
__dict__ → dict: defined attributes (object namespace) of an instance
__doc__ → string: documentation string of a package, module, class, function
__name__ → str: object definition name of a function
__file__ → string: pathname of loaded module .pyc, .pyo or .pyd
|1 List of allowed attributes names. Usage discouraged.

```

MODULES AND PACKAGES

File `gabuzo.py` ► module `gabuzo`.

Directory `kramed/` with a file `__init__.py` ► package `kramed`.
Can have sub-packages (subdirectories having `__init__.py` file).
Searched in the `Python PATH`.

Current Python PATH stored in `sys.path` list. Contains directories and .zip files paths. Built from location of standard Python modules, PYTHONPATH environment variable, directory of main module given on command line, data specified in lines of .pth files found in Python home directory, and data specified in registry under Windows.

Current list of loaded modules stored in `sys.modules` map (main module is under key `__main__`).

`import module [as alias] [, ...]`

`from module import name [as alias] [, ...]`

`from module import *`

`reload(module)` > module is reloaded (but existing references still refer old module content)

`new.module(name[, doc])` → new module object.

Import can use package path (ex:`from encoding.aliases import...`).

Direct import from a package use definitions from `__init__.py` file.

Very careful with `import *` as imported names override names already defined.

To limit your modules names exported and visible by `import *`, define module global `__all__` with list of exported names (or use global names `xxx`).

See `__import__` builtin function, and modules `imp, ihooks, __import__(modulename[, globals[, locals[, Inameslist]])`

Source encodings

See PEP 263. Declare source files encoding in first or second line in a special comment.

-*- coding: encoding_name -*-

If this is not specified, Python use `sys.setdefaultencoding()` value (see modules `sitemodules.py` and `user.py`).

| It is important to specify encoding of your modules as u"" strings use it to correctly build unicode literals.

Special Attributes

`__name__` → str: module name, '`__main__`' for command-line called script

`__file__` → string: pathname of compiled module loaded

MAIN EXECUTION / SCRIPT PARAMETERS

The 'main' module is the module called via command-line (or executed by shell with first script line #! /bin/env python).

Command-line parameters are available in `sys.argv` (a python list).

At end of module, we may have :

if `__name__ == '__main__'` :

 # main code

 # generally call a 'main' function:

 mainfunction(sys.argv[1:])

 # or in lib modules, execute test/demo code...

Execution exit after last main module instruction (in multithread, wait also for end of non-daemon threads), unless interactive mode is forced.

Can force exit with calling `sys.exit(code)`, which raise a `SystemExit` exception - see Current Process - Exiting (p13).

OPERATORS

Deal with arithmetic, boolean logic, bit level, indexing and slicing.

Priority

1 <code>(a,...) [a,...]</code>	6 <code>x+y</code>	11 <code>x<y x<=y x>y x>=y x==y x!=y</code> <code>fa:b...1 ...`</code>
2 <code>s[i] s[i:j]</code>	7 <code>x<<y</code>	12 <code>not x</code> <code>s.attr f(...)</code>
3 <code>+x -x ~x</code>	8 <code>x&y</code>	13 <code>x_and_y</code>
4 <code>x**y</code>	9 <code>x^y</code>	14 <code>x_or_y</code>
5 <code>x*y x/y x%y</code>	10 <code>x y</code>	15 <code>lambda args: expr</code>

Arithmetic Operators

Can be defined for any data type.

Arithmetic Overriding

```
_add_(self,other) → value: called for self + other
_sub_(self,other) → value: called for self - other
_mul_(self,other) → value: called for self * other
_div_(self,other) → value: called for self / other
_truediv_(self,other) → value: called? for self / other
_floordiv_(self,other) → value: called for self // other
_mod_(self,other) → value: called for self % other
_divmod_(self,other) → value: called for divmod(self,other)
_pow_(self,other) → value: called for self ** other
_nonzero_(self) → value: called for nonzero(self)
_neg_(self) → value: called for -self
_pos_(self) → value: called for +self
_abs_(self) → value: called for abs(self)
_iadd_(self,other) ▶ called for self += other
_isub_(self,other) ▶ called for self -= other
_imul_(self,other) ▶ called for self *= other
_idiv_(self,other) ▶ called1 for self /= other
_itruediv_(self,other) ▶ called2 for self /= other
_ifloordiv_(self,other) ▶ called for self //= other
_imod_(self,other) ▶ called for self %= other
_ipow_(self,other) ▶ called for self **= other
```

¹ without /² with from `future` import division

Binary operators `__xxx__` have also `__rxxx__` forms, called when target object is on right side.

Comparison Operators

Operators can compare any data types.

Compare `values` with `< <= > >= == != <>`.

Test objects `identity` with `is` and `is not` (compare on `id(obj)`).

Direct composition of comparators is allowed in expressions : `x<y<z>t`.

Builtin function `cmp(o1,o2) → -1 (o1 < o2), 0 (o1 == o2), 1 (o1 > o2)`

Comparison Overriding

```
_lt_(self,other) → bool1: called for self < other
_le_(self,other) → bool1: called for self <= other
_gt_(self,other) → bool1: called for self > other
_ge_(self,other) → bool1: called for self >= other
_eq_(self,other) → bool1: called for self == other
_ne_(self,other) → bool1: called for self != other
        and for self <> other
```

```
_cmp_(self,other) → int: called for self compared to other,
self<other→value<0, self==other→value=0, self>other→value>0
```

¹ Any value usable as boolean value, or a `NotImplemented` value if cannot compare with such other type.

Operators as Functions

Operators are also defined as functions in standard `operator` module.

Comparison

<code>lt(a,b) = __lt__(a,b)</code>	<code>ne(a,b) = __ne__(a,b)</code>
<code>le(a,b) = __le__(a,b)</code>	<code>ge(a,b) = __ge__(a,b)</code>
<code>eq(a,b) = __eq__(a,b)</code>	<code>gt(a,b) = __gt__(a,b)</code>

Logical / Boolean

<code>not_(o) = __not__(o)</code>	<code>and_(a,b) = __and__(a,b)</code>
<code>truth(o)</code>	<code>or_(a,b) = __or__(a,b)</code>
<code>is_(a,b)</code>	<code>xor_(a,b) = __xor__(a,b)</code>
<code>is_not_(a,b)</code>	

Arithmetic

<code>abs(o) = __abs__(o)</code>	<code>truediv(a,b) = __truediv__(a,b)</code>
<code>add(a,b) = __add__(a,b)</code>	<code>floordiv(a,b) = __floordiv__(a,b)</code>
<code>sub(a,b) = __sub__(a,b)</code>	<code>neg(o) = __neg__(o)</code>
<code>mul(a,b) = __mul__(a,b)</code>	<code>pos(o) = __pos__(o)</code>
<code>div(a,b) = __div__(a,b)</code>	<code>pow(a,b) = __pow__(a,b)</code>
<code>mod(a,b) = __mod__(a,b)</code>	

Bit Level

<code>lshift(a,b) = __lshift__(a,b)</code>	
<code>rshift(a,b) = __rshift__(a,b)</code>	
<code>inv(o) = invert(o) = __inv__(o) = __invert__(o)</code>	

Sequences

<code>concat(a,b) = __concat__(a,b)</code>	
<code>contains(a,b) = __contains__(a,b)</code>	
<code>countOf(a,b)</code>	
<code>indexOf(a,b)</code>	
<code>repeat(a,b) = __repeat__(a,b)</code>	
<code>setItem(a,b,c) = __setitem__(a,b,c)</code>	
<code>getItem(a,b) = __getitem__(a,b)</code>	
<code>delItem(a,b) = __delitem__(a,b)</code>	
<code>setSlice(a,b,c,v) = __setslice__(a,b,c,v)</code>	
<code>getSlice(a,b,c) = __getslice__(a,b,c)</code>	
<code>delSlice(a,b,c) = __delslice__(a,b,c)</code>	

Type Testing

| These functions must be considered as not reliable.

<code>isMappingType(o)</code>	
<code>isNumberType(o)</code>	
<code>isSequenceType(o)</code>	

Attribute and Item Lookup

<code>attrgetter(attr) → fct: where fct(x)→x.attr</code>	
<code>itemgetter(item) → fct: where fct(x)→x[item]</code>	

BOOLEANS

False : `None`, zero numbers, empty containers. `False → 0`.

True : if not false. `True → 1`.

`bool(expr) → True | False`

Logical not : `not expr`

Logical and : `expr1 and expr2`

Logical or : `expr1 or expr2`

| Logical and and or use short path evaluation.

Bool Cast Overriding

`nonzero_(self) → bool: test object itself`

|¹ If `__nonzero__` undefined, look at `__len__`, else object is true.

NUMBERS

Builtin integer types : `int` (like C long), `long` (unlimited integer)

`int(expr[,base=10]) → int: cast of expr`

`long(expr[,base=10]) → long: cast of expr`

Builtin floating point types : `float` (like C double), `complex` (real and imaginary parts are `float`).

`float(expr) → float: representation of expr`

`complex(x[,y]) → complex: number: x+yj`

`[x+y]j → complex: number, ex: 3+4j -8.2j`

`c.real → float: real part of complex number`

`c.img → float: imaginary part of complex number`

`c.conjugate() → complex: conjugate of complex number (real,-img)`

| Maximum int integer in `sys.maxint`.

Automatic conversions between numeric types.

Automatic conversions from int to long when result overflow max int.

| Direct conversions from/to strings from/to int, long... via types constructors.

Type `Decimal` defined in standard module `decimal`.

Base fixed type compact storage arrays in standard module `array`.

Operators

-x +x x+y x-y x*y x/y¹ x//y¹ x%y² x**y²

¹ With `from __future__ import division`, / is true division (1/2→0.5), and // is floor division (1//2→0). Else for integers / is still floor division.

² % is remainder operator, ** is power elevation operator (same as `pow`).

Functions

Some functions in builtins.

`abs(X) → absolute value of x`

`divmod(x,y) → (x/y,x%y)`

`oct(integer) → str: octal representation of integer number`

`hex(integer) → str: hexadecimal representation of integer number`

Representation formating functions in strings Formating (p5) and Localization (p6).

Math Functions

Standard floating point functions/data in standard `math` module.

`acos(X) → float: radians angle for x cosinus value : [-1...1] → [0...π]`

`asin(X) → float: radians angle for x sinus value : [-1...1] → [-π/2...+π/2]`

`atan(X) → float: radians angle for x tangent value : [-∞...∞] → -π/2...+π/2`

`atan2(X,Y) → float: radians angle for x/y tangent value`

`ceil(X) → float: smallest integral value >= x`

`cos(X) → float: cosinus value for radians angle x`

`cosh(X) → float: hyperbolic cosinus value for radians angle x`

`exp(X) → float: exponential of x = ex`

`fabs(X) → float: absolute value of x`

`floor(X) → float: largest integral value <= x`

`fmod(x,y) → float: modulo = remainder of x/y`

`frexp(X) → (float,int): (m,y) m mantissa of x, y exponent of x — where x=m*2y`

`ldexp(X,i) → float: x multiplied by 2 raised to i power: x * 2i`

`log(X) → float: neperian logarithm of x`

`log10(X) → float: decimal logarithm of x`

`modf(X) → (float{2}): (f,i) f signed fractional part of x, i signed integer part of x`

`pow(X,Y) → float: x raised to y power (xy)`

`sin(X) → float: sinus value for radians angle x`

`sinh(X) → float: hyperbolic sinus value for radians angle x`

`sqrt(X) → float: square root of x (v/x)`

`tan(X) → float: tangent value for radians angle x`

`tanh(X) → float: hyperbolic tangent value for radians angle x`

`pi → float: value of π (pi=3.1415926535897931)`

`e → float: value of neperian logarithms base (e=2.7182818284590451)`

| Module `cmath` provides similar functions for complex numbers.

Random Numbers

Randomization functions in standard `random` module. Module functions

use an hidden, shared state, `Random` type generator (uniform distribution).

Functions also available as methods of `Random` objects.

```
seed(x) ➤ initialize random number generator
random() ➤ float: random value in [0.0, 1.0[
randint(a,b) ➤ int: random value in [a, b]
uniform(a, b) ➤ float: random value in [a, b[
getrandbits(k) ➤ long: with k random bits
randrange([start[, stop[, step]]) ➤ int: random value in range(start, stop, step)
choice(seq) ➤ value: random item from seq sequence
shuffle(xl, rndfct()) ➤ items of x randomly reordered using rndfct()
sample(population,k) ➤ list: k random items from population
Alternate random distributions : betavariate(alpha, beta),  

expovariate(lambd), gammavariate(alpha, beta), gauss(mu, sigma),  

lognormvariate(mu, sigma), normalvariate(mu, sigma),  

vonmisesvariate(mu, kappa), paretovariate(alpha),  

weibullvariate(alpha, beta).
Alternate random generator WichmannHill class.
Direct generator manipulation : getstate(), setstate(state),  

jumpahead(n).
```

In module `os`, see :

```
os.urandom(n) ➤ str: n random bytes suitable for cryptographic use
    Other Math Modules
```

Advanced matrix, algorithms and number crunching in third party modules like `numpy` (evolution of `numarray / Numeric`), `gmpy` (multiprecision arithmetic), `DecInt`, `scipy`, `pyarray`, ...

See sites [SciPy](#), [BioPython](#), [PyScience](#)....

Numbers Casts Overriding

```
_int_(self) ➤ int: called for int(self)
_long_(self) ➤ long: called for long(self)
_float_(self) ➤ float: called for float(self)
_complex_(self) ➤ complex: called for complex(self)
_oct_(self) ➤ str: called for oct(self)
_hex_(self) ➤ str: called for hex(self)
_coerce_(self,other) ➤ value: called for coerce(self,other)
```

BIT LEVEL OPERATIONS

Work with `int` and `long` data.

Operators

`~x` → inverted bits of x
`x^y` → bitwise exclusive or on x and y
`x&y` → bitwise and on x and y
`x|y` → bitwise or on x and y
`x<<n` → x shifted left by n bits (zeroes inserted)
`x>>n` → x shifted right by n bits (zeroes inserted)

Binary structures manipulations in standard module `struct`.

Advanced binary structures mapping and manipulation in third party modules : `ctypes`, `xstruct`, `pyconstruct`, ...

Bit Level Overriding

```
_and_(self,other) ➤ value: for self & other
_or_(self,other) ➤ value: for self | other
_xor_(self,other) ➤ value: for self ^ other
_lshift_(self,other) ➤ value: for self<< other
_rshift_(self,other) ➤ value: for self>> other
_invert_(self) ➤ value: for ~self
_iand_(self,other) ➤ called for self &= other
_ior_(self,other) ➤ called for self |= other
_ixor_(self,other) ➤ called for self ^= other
_ilshift_(self,other) ➤ called for self<<= other
```

`_irshift_(self,other)` ➤ called for `self >>= other`

STRINGS

Simple quoted 'Hello' or double-quoted "Hello".

Use triple [simple|double] quotes for multi-lines strings :

```
'''Hello,
how are you ?'''
```

Strings are immutable (once created a string cannot be modified in place).

Strings can contain binary data, including null chars (chars of code 0). Strings are sequences, see Indexing (p8) for chars indexation (slicing) and other operations.

`chr(code)` ➤ str: string of one char

`ord(char)` ➤ int: code

`str(expr)` ➤ str: readable textual representation of expr - if available

`'expr'` ➤ str: readable textual representation of expr - if available

`repr(expr)` ➤ str: evaluable textual representation of expr - if available

Escape sequences

\a - bell	\v - vertical tab
\b - backspace	\' - single quote
\e - escape	\\" - double quote
\f - form feed	\\\ - backslash
\n - new line	\ooo - char by octal ooo value
\r - carriage return	\xhh - char by hexadecimal hh value
\t - horizontal tab	\<newline> - continue string on next line.

And for Unicode strings :

\uxxxx - unicode char by 16 bits hexadecimal xxxx value.

\Uxxxxxxxxx - unicode char by 32 bits hexadecimal xxxxxxxx value.

\N{name} - unicode char by name in the Unicode database.

| Keep \ escape chars by prefixing string literals with a `r` (or `R`) - for 'raw' strings (note : cannot terminate a raw string with a \).

Unicode strings

Quoted as for `str`, but with a `u` (or `U`) prefix before the string : `u"Voiçi"`
`U"""\u00e9 une bonne journ\u00e9e en perspective.""""`

| Can mix strings prefixes `r` (or `R`) and `u` (or `U`).

You must define your source file encoding so that Python knows how to convert your source literal strings into internal unicode strings.

`unichr(code)` ➤ unicode: string of one char

`ord(unicode char)` ➤ int: unicode code

`unicode(object[, encoding[, errors]])` ➤ unicode: unicode

`sys.maxunicode` ➤ int: maximum unicode code=fct(compile time option)

Unicode Chars Informations

Module `unicodedata` contains informations about Unicode chars properties, names.

`lookup(name)` ➤ unicode: unicode char from its name

`name(unichr[, default])` ➤ str: unicode name - may raise `ValueError`

`decimal(unichr[, default])` ➤ int: decimal value - may raise `ValueError`

`digit(unichr[, default])` ➤ int: digit value - may raise `ValueError`

`numeric(unichr[, default])` ➤ float: numeric value - may raise `ValueError`

`category(unichr)` ➤ str: general unicode category of char

`bidirectional(unichr)` ➤ str: bidir category of char, may be empty string

`combining(unichr)` ➤ str/0: canonical combining class of char as integer

`east_asian_width(unichr)` ➤ str: east asian width

`mirrored(unichr)` ➤ int: mirrored property in bidi text, 1 if mirrored else 0

`decomposition(unichr)` ➤ str: decomposition mapping, may be empty str

`normalize(form, unistr)` ➤ str: normal form of string - form in '`NFC`', '`NFKC`', '`NFD`', '`NFKD`'

`unidata_version` ➤ str: version of Unicode database used

Methods and Functions

From builtins (see also `oct` and `hex` functions for integers to strings) :

`len(s)` ➤ int: number of chars in the string

Most string methods are also available as functions in the standard `string` module.

`s.capitalize()` ➤ string with first char capitalized¹

`s.center(width[, fillchar])` ➤ string centered

`s.count(sub[, start[, end]])` ➤ int: count sub occurrences

`s.decode([encoding[, errors]])` ➤ unicode: text decoded - see encodings (p12)

`s.encode([encoding[, errors]])` ➤ str: text encoded - see encodings (p12)

`s.endswith(suffix[, start[, end]])` ➤ bool: test text ending

`s.expandtabs([tabsize])` ➤ string with tabs replaced by spaces

`s.find(sub[, start[, end]])` ➤ int/-1: offset of sub

`s.index(sub[, start[, end]])` ➤ int: offset of sub - may raise `ValueError`

`s.isalnum()` ➤ bool: non empty string with all alphanumeric chars¹

`s.isalpha()` ➤ bool: non empty string with all alphabetic chars¹

`s.isdigit()` ➤ bool: non empty string with all digit chars¹

`s.islower()` ➤ bool: non empty string with all lower chars¹

`s.isspace()` ➤ bool: non empty string with all space chars¹

`s.istitle()` ➤ bool: non empty string with titlecase words¹

`s.isupper()` ➤ bool: non empty string with all upper chars¹

`s.join(seq)` ➤ str: seq[0]+s+seq[1]+s+...+seq[n-1]

`s.ljust(width[, fillchar])` ➤ text string left aligned²

`s.lower()` ➤ text string lowered¹

`s.lstrip([chars])` ➤ string text with leading chars² removed

`s.replace(old,new[, count])` ➤ string with count firsts old replaced by new

`s.rfind(sub[, start[, end]])` ➤ int/-1: last offset of sub

`s.rindex(sub[, start[, end]])` ➤ int: last offset of sub - may raise `ValueError`

`s.rjust(width[, fillchar])` ➤ string text right aligned²

`s.rsplit([sep[, maxsplit]])` ➤ [string]: rightmost words delim. by sep²

`s.rstrip([chars])` ➤ string with trailing chars² removed

`s.split([sep[, maxsplit]])` ➤ [string]: words delimited by sep²

`s.splitlines([keepends])` ➤ [string]: list of text lines

`s.startswith(suffix[, start[, end]])` ➤ bool: test text beginning

`s.strip([chars])` ➤ string text with leading+trailing chars² removed

`s.swapcase()` ➤ string with case switched¹

`s.title()` ➤ string with words capitalized¹

`s.translate(table[, deletechars])` ➤ string: cleaned, converted³

`s.upper()` ➤ string uppered¹

`s.zfill(width)` ➤ str: string prefixed with zeroes to match width

¹ Locale dependant for 8 bits strings.

² Default chars/separator/fillchar is space.

³ For str table must be a string of 256 chars - see `string.maketrans()`.

For Unicode no deletechars, and table must be a map of unicode ordinals to unicode ordinals.

Formatting

Use % operator between format string and arguments : `string%args`

Formatting `string` contains `%[(name)][flag][width].[precision]code`

If not use `% (name) ...` ➤ args = single value or tuple of values.

If use `% (name) ...` ➤ args = mapping with name as keys.

| For mapping, args can be an object with `__getitem__` method - see Overriding Mapping Operations (p8).

Format char codes

d signed int. decimal : -324

u unsigned decimal 6953

x unsigned hexa : f3a

e float. point exp. : -3.256e-12

f float. point dec. : -0.0000032

F float. point dec. : -0.0000032

g like E or F

c character (1 char str or code)

% %% ➤ %

s object format like `repr(object)`

Templates

With `string.Template` objects. Use common \$ syntax : \$\$ ➤ single \$; \$name or \${name} ➤ value for name.

```

tmpl = string.Template(template_string)
tmpl.substitute(mapping[, **kwargs]) → string: template filled
tmpl.safe_substitute(mapping[, **kwargs]) → string: template filled
tmpl.template → string
| Can subclass Template to build your own templating (see doc, sources).
See also modules formatter.

```

Wrapping

Module `textwrap` has a `TextWrapper` class and tool functions.

```

tw = textwrap.TextWrapper([...]) → new text wrapper using named params
as corresponding attributes values
tw.width → int: max length of wrapped lines (default 70)
tw.expand_tabs → bool: replace tabs by text. expandtabs() (default True)
tw.replace_whitespace → bool: replace each whitespace by space (default True)
tw.initial_indent → string: prepend to first wrapped line (default '')
tw.subsequent_indent → string: prepend to other wrapped lines (default '')
tw.fix_sentence_endings → bool: try to separate sentences by two spaces (default False)
tw.break_long_words → bool: break words longer than width (default True)
tw.initial_indent → string: prepend to first wrapped line (default '')
tw.wrap(text) → [string]: list of text lines, each with max width length - no final newline
tw.fill(text) → string: whole text, lines wrapped using newlines
Two convenient functions use temporary TextWrapper, built using named parameters corresponding to attributes.
wrap(text[, width=70,...]) → [string]
fill(text[, width=70,...]) → string
dedent(text) → string: remove uniform whitespaces at beginning of text lines

```

Constants

Standard module `string` provide several constants (do not modify, they are used in string manipulation functions) and some str functions are not available as methods.

```

ascii_letters → str: lowercase and uppercase chars
ascii_lowercase → str: lowercase a-z chars
ascii_uppercase → str: uppercase A-Z chars
digits → str: 0-9 decimal digit chars
hexdigits → str: 0-9a-fA-F hexadecimal digit chars
letters → str: lowercase and uppercase chars1
lowercase → str: lowercase a-z chars1
octdigits → str: 0-7 octal digit chars
punctuation → str: ascii chars considered as punctuation in C locale
printable → str: printable chars
uppercase → str: uppercase A-Z chars1
whitespace → str: whitespace chars (spc, tab, cr, lf, ff, vt)
capwords(s) → str: split → capitalize → join
maketrans(from, to) → translation table usable in str.translate - from and to must have same length

```

¹ Definition is locale dependant.

Regular Expressions

Standard module `re` has a powerful regexp engine. See regexp HOWTO at <http://www.amk.ca/python/howto/regex/>.

Use raw string `r"..."` notation.

See also external projects `pyparsing`, PLY (Python Lex-Yacc), `tpp` (Toy Parser Generator)...

Expressions

Metacharacters : . ^ \$ * + ? { } [] \ | (), may use \ escape.

- . → match any character except a newline (including newline with `DOTALL` option)
- ^ → match start of string (and start of lines with `MULTILINE` option)
- \$ → match end of string (and end of lines with `MULTILINE` option)
- expr* → match 0 or more repetitions of expr (as much as possible)

```

expr+ → match 1 or more repetitions of expr (as much as possible)
expr? → match 0 or 1 expr
expr*? → match like expr* but as few as possible
expr+? → match like expr+ but as few as possible
expr?? → match like expr? but as few as possible
expr{m} → match m repetitions of expr
expr{[m],[n]} → match from m to n repetitions of expr, missing m default to 0 and missing n default to infinite
expr{[m],[n]}? → match like expr{[m],[n]} but as few as possible
[set] → match one char in the set defined by :
  ^ → at begining, invert set definition
  x-y → chars from x to y
  \x → see Escape sequences for strings (p5)
  \-, \] → chars - and ] (- and ] at the beginning match - and ] chars)
  x → char x (including other re metacharacters)
exprA|exprB → match exprA or exprB, short path evaluation
(expr) → match expr and build a numbered group
(?i|[l][m][s][u][x]) → (at least one of ilmsux char) group match empty string, modify options flags for entire expression - see I L M S U X options
(?:expr) → match expr but dont build a group
(?:P<name>expr) → match expr and build a group numbered and named (name must be valid Python identifier)
(?:P=name) → match text matched by earlier group named name
(?:#text) → no match, text is just a comment
(?:=expr) → match if match expr but don't consume input
(?:!=expr) → match if doesn't match expr but don't consume input
(?:<=expr) → match if current position is immediately preceded by a match for fixed length pattern expr
(?:<!expr) → match if current position is immediately not preceded by a match for fixed length pattern expr
(?:num/name)yesexpr|noexpr) → try to match yesexpr if group num/name exists, else try to match noexpr

```

Escape Sequences

```

\n \nn → match3 group number n (nn) where first n≠0
\ooo \oo → match3 char with octal value ooo (0o)
\A → match only at the start of the string
\B → match3 empty string at beginning or end of a word1+2
\B → match empty string not at beginning or end of a word1+2
\d → match char class decimal digit [0-9]
\d → match char class non-digit [^0-9]
\s → match char class whitespace [\t\n\r\f\v]
\S → match char class non-whitespace [^\t\n\r\f\v]
\w → match char class alphanumeric [a-zA-Z0-9_]
\W → match char class non-alphanumeric [^a-zA-Z0-9_]
\Z → match end of string
\a \b \f \n \r \t \v \x \\ → same as string escapes
\c → for other c chars, match char c

```

¹ Depends on UNICODE flag.

² Depends on LOCALE flag.

³ When out of char class definition (...)

Flag Options

```

IGNORECASE (I) : case insensitive expression - not locale dependant.
LOCALE (L) : make \w \W \b \B locale dependant.
MULTILINE (M) : ^ and $ match beginning/end of string and lines. Else ^ and $ match only beginning and end of string.
DOTALL (S) : make . match any char including newline. Else newline excluded.
UNICODE (U) : make \w \W \b \B unicode dependant.
VERBOSE (X) : ignore whitespaces and make # starting comments (except when space and # are escaped or in char class).

```

Matching and Searching

Can use `re` functions, or compile expressions into `SRE_Pattern` objects and use their methods.

See Flag Options supra for `flags` parameters.

```

search(pattern, string[, flags]) → MatchObject/None: scan throught string to find substrings matching pattern
match(pattern, string[, flags]) → MatchObject/None: try to match string with pattern
split(pattern, string[, maxsplit=0]) → [string]: split string by occurrences of pattern - if maxsplit specified, remainder is put in last item of list
findall(pattern, string[, flags]) → [string]/[ (string)]: find non-overlapping substrings matching pattern - eventually empty matchs - return list of tuples if pattern has groups
finditer(pattern, string[, flags]) → iterator over [MatchObject] - same as findall but with an iterator
sub(pattern, repl, string[, count=0]) → string: replace substrings matching pattern by repl - repl as string can contain back references1 to identified substring - repl as fct(MatchObject) return replacement string - pattern may be RE_Pattern object
subn(pattern, repl, string[, count=0]) → (string, int): same as sub, 2nd item is count of substitutions
escape(string) → string: non-alphanumerics backslashed

If you need to reuse a pattern, compile it one time for all.
pat = re.compile(pattern[, flags]) → RE_Pattern object
pat.match(string[, pos[, endpos]]) → same as match function2
pat.search(string[, pos[, endpos]]) → same as search function2
pat.split(string[, maxsplit=0]) → same as split function2
pat.findall(string[, pos[, endpos]]) → same as findall function2
pat.finditer(string[, pos[, endpos]]) → same as finditer function2
pat.sub(repl, string[, count=0]) → same as sub function
pat.subn(pattern, repl, string[, count=0]) → same as subn function
pat.flags → int: flags used at compile time
pat.pattern → string: pattern used at compile time
pat.groupindex → dict: mapping of group names to group numbers

Several functions/methods return MatchObject objects.
m.expand(template) → string: do backslash substitution on template (like sub method) using match object groups values
m.group([group[, ...]]) → string/(string) : subgroups of the match from numbers or names
m.groups([default=None]) → (string) : all subgroups of the match - default give access to subgroups not in the match
m.groupdict([default=None]) → dict: name→subgroup: all named subgroups of the match - default give access to subgroups not in the match
m.start([group=0]) → int: index of start of substring matched by group, -1 if group exists but not in match
m.end([group=0]) → int: index of end of substring matched by group, -1 if group exists but not in match
m.span([group=0]) → (int{2}): values of start and end methods for the group
m.pos → int: pos value of search/match method
m.endpos → int: endpos value of search/match method
m.lastindex → int/None: index of last matched capturing group
m.lastgroup → string/None: name of last matched capturing group
m.re → RE_Pattern: pattern used to produce match object
m.string → string: string used in match/search to produce match object

```

¹ Back references extended to \g<groupnum> and \g<groupname>.

² Using part of string between pos and endpos.

Group number 0 correspond to entire matching.

Localization

Standard module `locale` provide posix locale service (internationalization).

```

setlocale(category[, locale]) → current/new settings: if /locale specified (as string or as tuple(language code, encoding)) then modify locale settings for

```

category and return new one - if `locale` not specified or `None`, return current locale - not thread safe
`localeconv()` → `dict`: database of local conventions
`nl_langinfo(option)` → string: locale-specific informations - not available on all systems - `options` may vary on systems - see options p7
`getdefaultlocale([envvars])` → (language code, encoding): try to determine default locale settings
`getlocale([category])` → current `LC_*` setting for category - category default to `LC_CTYPE` - for language code and encoding it may be `None`
`getpreferredencoding([do_setlocale])` → `str`: user preferred encoding for text data - set `do_setlocale` to `False` to avoid possible call to `setlocale()`
`normalize(locename)` → normalized locale code for `locename` - usable with `setlocale()` - return `locename` if normalization fails
`resetlocale([category])` → reset locale for category to default setting - category default to `LC_ALL`
`strcmp(s1,s2) → int`: compare two strings - follow `LC_COLLATE` setting - return 0 if `s1==s2`, <0 if `s1<s2`, >0 if `s1>s2`
`strxfrm(string) → string`: transform string for locale-aware comparison
`format(format, val[, grouping]) → string`: convert val float using format (% operator conventions) - follow `LC_NUMERIC` settings (decimal point, + grouping if it is true)
`str(float) → string`: convert float - follow `LC_NUMERIC` settings (decimal point)
`atof(string) → float`: convert string to float - follow `LC_NUMERIC` settings
`atoi(string) → int`: convert string to integer - follow `LC_NUMERIC` settings
`CHAR_MAX` → symbolic constant used by `localeconv()`

Categories

`LC_CTYPE` → character type - case change behaviour
`LC_COLLATE` → strings sorting - `strcmp()` and `strxfrm()` functions
`LC_TIME` → time formating - `time.strftime()`
`LC_MONETARY` → monetary values formating - options from `localeconv()`
`LC_MESSAGES` → messages display - `os_strerror()` - not for Python messages
`LC_NUMERIC` → numbers formating - `format()`, `atoi()`, `atof()` and `str()` of this module (dont modify normal Python number formating)
`LC_ALL` → all locales - used to change/retrieve the locale for all categories

nl_langinfo options

key	nl_langinfo() value usage
<code>CODESET</code>	name of character encoding
<code>D_T_FMT</code>	usable as format for <code>strftime()</code> for time and date
<code>D_FMT</code>	usable as format for <code>strftime()</code> for date
<code>T_FMT</code>	usable as format for <code>strftime()</code> for time
<code>T_FMT_AMPM</code>	usable as format for <code>strftime()</code> for time in am/pm format
<code>DAY_1...DAY_7</code>	name of the n th day of the week - first day is sunday
<code>ABDAY_1...</code> <code>ABDAY_7</code>	abbreviated name of the n th day of the week - first day is sunday
<code>MON_1...MON_12</code>	name of the n th month
<code>ABMON_1...</code> <code>ABMON_12</code>	abbreviated name of the n th month
<code>RADIXCHAR</code>	radix character (decimal dot/comma/...)
<code>THOUSEP</code>	separator character for thousands
<code>YESEXPR</code>	regular expression (of C library!) usable for yes reply
<code>NOEXPR</code>	regular expression (of C library!) usable for no reply
<code>CRNCYSTR</code>	currency symbol, preceded by <code>-</code> if should appear before the value, by <code>+</code> if should appear after the value, by <code>.</code> if should replace radix character
<code>ERA</code>	era - generally not defined - same as <code>E</code> format in <code>strftime()</code>
<code>ERA_YEAR</code>	year in era
<code>ERA_D_T_FMT</code>	usable as format for <code>strftime()</code> for date and time with era

key	nl_langinfo() value usage
<code>ERA_D_FMT</code>	usable as format for <code>strftime()</code> for date with era
<code>ALT_DIGITS</code>	up to 100 values representing 0 to 99

localeconv keys

key	meaning
<code>currency_symbol</code>	Local currency symbol for <code>monetary</code> values.
<code>decimal_point</code>	Decimal point character for <code>numbers</code> .
<code>frac_digits</code>	Number of fractional digits used in local formatting of <code>monetary</code> values.
<code>grouping</code>	[int]: relative positions of 'thousands_sep' in <code>numbers</code> . <code>CHAR_MAX</code> at the end stop grouping. 0 at the end repeat last group.
<code>int_curr_symbol</code>	International currency symbol of <code>monetary</code> values.
<code>int_frac_digits</code>	Number of fractional digits used in international formatting of <code>monetary</code> values.
<code>mon_decimal_point</code>	Decimal point used for <code>monetary</code> values.
<code>mon_grouping</code>	Equivalent to 'grouping', used for <code>monetary</code> values.
<code>mon_thousands_sep</code>	Group separator used for <code>monetary</code> values.
<code>n_cs_precedes</code>	True if currency symbol preceed negative <code>monetary</code> values, false if it follow.
<code>n_sep_by_space</code>	True if there is a space between currency symbol and negative <code>monetary</code> value.
<code>n_sign_posn</code>	Position of negative sign for <code>monetary</code> values ¹ .
<code>negative_sign</code>	Symbol used to annotate a negative <code>monetary</code> value.
<code>p_cs_precedes</code>	True if currency symbol preceed positive <code>monetary</code> values, false if it follow.
<code>p_sep_by_space</code>	True if there is a space between currency symbol and positive <code>monetary</code> value.
<code>p_sign_posn</code>	Position of positive sign for <code>monetary</code> values ¹ .
<code>positive_sign</code>	Symbol used to annotate a positive <code>monetary</code> value.
<code>thousands_sep</code>	Character used between groups of digits in <code>numbers</code> .

¹ Possible values : 0=currency and value surrounded by parentheses, 1=sign should precede value and currency symbol, 2=sign should follow value and currency symbol, 3=sign should immediately precede value, 4=sign should immediately follow value, `LC_MAX`=nothing specified in this locale.

Multilingual Support

Standard module `gettext` for internationalization (I18N) and localization (L10N) services - based on GNU gettext API + higher interface. See docs for explanations about tools usage.

Base API

`bindtextdomain(domain[, localedir]) → str`: bounded directory - bind domain to localedir directory if specified (used when searching for .mo files)
`bind_textdomain_codeset(domain[, codeset]) → codeset`: binding: bind domain to codeset if specified - change xxgettext() returned strings encoding
`textdomain([domain]) → global domain`: set global domain if specified and not None
`gettext(message) → string`: localized translation of message - based on current global domain, language, and locale directory - usually aliased as `_` in local namespace
`lgettext(message) → string`: like `gettext()`, using preferred encoding
`dgettext(domain, message) → string`: like `gettext()`, looking in specified domain.
`ldgettext(domain, message) → string`: like `dgettext()`, using preferred encoding
`ngettext(singular, plural, n) → string`: like `gettext()`, but consider plural forms (see Python and GNU gettext docs)

`lngettext(singular, plural, n) → string`: like `ngettext()`, using preferred encoding
`dngettext(domain, singular, plural, n) → string`: like `ngettext()`, looking in specified domain.
`ldngettext(domain, singular, plural, n) → string`: like `dngettext()`, using preferred encoding
 Generally _ is bound to `gettext.gettext`, and translatable strings are written in sources using `_('thestring')`. See docs for usage examples.

Class based API

The recommended way. Module `gettext` defines a class `Translations`, dealing with .mo translation files and supporting `str/unicode` strings.
`find(domain[, localedir[, languages[, all]]]) → str/None`: .mo file name for translations (search in localedir/language/LC_MESSAGES/domain.mo)
`translation(domain[, localedir[, languages[, class[, fallback[, codeset]]]]) → Translations`: object from class `class_` (default to `GNUTranslations`, constructor take file object as parameter) - if true fallback allow to return a `NullTranslations` if no .mo file is found, default to false (raise `IOError`) - codeset change charset used to encode translated strings
`install(domain[, localedir[, unicode[, codeset]]]) → install _ function in Python's builtin namespace, to use _('thestring')`

Null Translations

The `NullTranslations` is a base class for all Translations.
`t. __init__([fp]) → initialize translations`: fp is a file object - call `_parse(fp)` if it is not `None`
`t. _parse(fp) → nothing`: subclasses override to read data from the file
`t.add_fallback(fallback) → add fallback used if cannot found translation for a message`

Define methods `gettext`, `lgettext`, `ngettext`, `lngettext` as in the base API. And define speciale methods `ugettext` and `ungettext` returning `unicode` strings (other forms return encoded `str` strings). Return translated message, forwarding to fallback if it is defined. Overriden in subclasses.

`t.info() → return protected _info attribute`
`t.charset() → return protected _charset attribute`
`t.output_charset() → return protected _output_charset attribute` (defining encoding used to return translated messages)
`t.set_output_charset(charset) → set _output_charset attribute`
`t.install([unicode]) → bind _ in builtin namespace to self.gettext() or self.ugettext() upon unicode (default to false)`

GNU Translations

The `GNUTranslations` class (subclass of `NullTranslations`) is based on GNU gettext and .mo files.
 Messages ids and texts are coerced to unicode.
 Protected `_info` attribute contains message translations.
 Translation for empty string return meta-data (see doc).

Define methods `gettext`, `lgettext`, `ugettext`, `ngettext`, `lngettext`, `ungettext` as in `NullTranslations` interface - same rules for return values (`str/unicode`). Message translations are searched in catalog, then in fallback if defined, and if no translation is found, message itself is returned (for `...` methods, return singular forms if `n=1` else plural forms).

CONTAINERS

Basic containers kind :

- sequences** (ordered collections) : `list`, `tuple`, `str`, any iterable,...
- mappings** (unordered key/value) : `dict`...
- sets** (unordered collections) : `set`, `frozenset`...

Operations on Containers

For strings, items are chars. For mappings, items are keys.
`item in container → bool`: test item ∈ container¹
`item not in container → bool`: test item ∉ container¹

`for var in container: ...` ➤ iterate var over items of container
`len(container) → int`: count number of items in container²
`max(container) → value`: biggest item in container
`min(container) → value`: smallest item in container
`sum(container) → value`: sum of items (items must be number-compatible)

¹ For strings test if expr is a substring of sequence.

² Container must provide direct length method - no generator.

Copying Containers

Default containers constructors build new container with references to existing objects (shallow copy). To duplicate content too, use standard module `copy`. See Copying Objects (p3).

Overriding Containers Operations

`_len_(self) → int`: called for `len(self)`
`_contains_(self, item) → bool`: called for `item [not] in self`
`| You can override iterable protocol on containers too.`

SEQUENCES

Sequences are ordered collections : `str, unicode, list, tuple, buffer, xrange, array.array...` any user class defining sequences interface, or any iterable data.

Lists & Tuples

Builtin types `list` and `tuple` store sequences of any objects.

Lists are mutable, tuples are immutable.

Declare a list : `[item[,...]]`

Declare a tuple : `(item[,...])`

Notes : `[]` ➤ empty list ; `()` ➤ empty tuple ; `(item,)` ➤ one item tuple.

`list(object) → list`: new list (cast from object / duplicate existing)

`tuple(object) → tuple`: new tuple (cast from object / duplicate existing)

`range([start[, stop[, step]]) → [int]`: list, arithmetic progression of integers

`xrange([start[, stop[, step]]) → xrange`: object generating arithmetic progression of integers

Unless using a sequence as a mapping key, or ensuring it is immutable data, prefer `list` to `tuple`.

¹ Use in place of range to avoid building huge lists just for indexing.

Operations on Sequences

See Operations on Containers (p7) too.

`seq1 + seq2` → concatenation of `seq1` and `seq2`

`sequence * n` → concatenation of sequence duplicated `n` times

`reversed(sequence) → iterator through sequence in reverse order`

`sorted(sequence[, cmp[, key[, reverse]]]) → list`: new list, sorted items from iterable - see `list.sorted()`

`filter1(fct,sequence) → list`: new list where `fct(item)` is `True`. Use `None` fct for a boolean test on items

`map1(fct,sequence,...) → list`: new list where `ith` item is `fct(ith)` items of sequence(s)

`reduce(fct,sequence[, initializer]) → value`: fct applied cumulatively to sequence items, `f(f(...f(initializer,a),b),c,...)`

`zip1(sequence,...) → list`: list of tuples, `ith` tuple contains `ith` items of each sequences

¹ See Iteration Tools (p9) as replacement (avoid creating a new list).

Indexing

Use index `[i]` and slice `[i:j[:step]]` syntax. Indexes zero-based. Negative indexes indexing from end. Default step is `1`, can use negative steps.

Sub-sequences index between items.

<code>l = [e₁, e₂, e₃, ..., e_{n-2}, e_{n-1}, e_n]</code>	
<code>l[0] → e₁</code>	<code>l[0:n] → [e₁, e₂, e₃, ..., e_{n-2}, e_{n-1}, e_n]</code>
<code>l[1] → e₂</code>	<code>l[:] → [e₁, e₂, e₃, ..., e_{n-2}, e_{n-1}, e_n]</code>
<code>l[-2] → e_{n-1}</code>	<code>l[i:] → [e_{i+1}, e_{i+2}, e_{i+3}, ..., e_{n-1}, e_n]</code>
<code>l[-1] → e_n</code>	<code>l[:i] → [e₁, e₂, ..., e_{i-2}, e_{i-1}, e_i]</code>

items indexes						
-n	-n+1	-n+2	...	-2	-1	
0	1	2	...	n-2	n-1	
e ₁	e ₂	e ₃	...item...	e _{n-1}	e _n	
0	1	2	3	...	n-2	n-1
-n	-n+1	-n+2	-n+3	...	-2	-1

slicing indexes

Slice objects

Defines index range objects, usable in `[]` notation.

`slice([start[, stop[, step]]) → slice object`

`slice.indices(len) → [int{3}]: (start,stop,stride)`

Ordered sets of data indexed from 0. Members `start, stop, step`.

Extended Slicing

Multiple slices notation - corresponding to a selection in a multi-dimension data - can be written using notation like `[a , x:y:z , : , : , : , m:n]`.

Ellipsis notation can be used to fill multiple missing slices, like `[a , x:y:z , ... , : , m:n]`. See docs.

`| Three dot notation ... is replaced internally by Ellipsis object.`

Operations on mutable sequences

Mutable sequences (ex. `list`) can be modified in place.

Can use mutable sequence indexing in left part of assignment to modify its items : `seq[index]=expr`; `seq[start:stop]=expr`;

`seq[start:stop:step]=expr`

`seq.append(item) → add item at end of sequence`

`seq.extend(otherseq) → concatenate otherseq at end of sequence`

`seq.count(expr) → int: number of expr items in sequence`

`seq.index(expr[, start[, stop]]) → int: first index of expr item`

`seq.insert(index, item) → item inserted at index`

`seq.remove(expr) → remove first expr item from sequence`

`seq.pop([index]) → item: remove and return item at index (default -1)`

`seq.reverse() → items reversed in place`

`seq.sort([cmp][, key][, reverse]) → items sorted in place - cmp : custom comparison fct(a,b), retval < 0 or = 0 or > 0 - key : name of items attribute to compare - reverse : bool`

`del seq[index] → remove item from sequence`

`del seq[start:stop[:step]] → remove items from sequence`

Overriding Sequences Operations

`__getitem__(self, index2) → value: item at index, called for self[index]`

`__setitem__(self, index1, value) → set item at index to value, called for self[index]=value`

`__delitem__(self, index1) → remove item at index, called for del self[index]`

¹ Only for mutable sequences.

² Parameter index can be a slice `[start,stop,step]` - replace old `__getslice__, __setslice__, __delslice__`.

Can also override arithmetic operations `__add__` (concatenation) and `__mul__` (repetition), container operations and object operations.

MAPPINGS (DICTIONARIES)

Builtin type `dict`. Store key:value pairs.

Declare a dictionary : `{ key:value [, ...]}`

`dict() → dict`: empty dictionary (like `{}`)

`dict(**kwargs) → dict`: from named parameters and their values

`dict(iterable) → dict`: from (key,value) by iterable

`dict(otherdict) → dict`: duplicated fro another one (first level)

Operations on Mappings

See Operations on Containers (p7) too, considering operations on keys.

`d[key] → value` for key¹

`d[key]=value` ➤ set `d[key]` to `value`

`del d[key]` ➤ removes `d[key]` from `d`

`d.fromkeys(iterable[, value=None]) → dict`: with keys from `iterable` and all same value

`d.clear()` ➤ removes all items from `d`

`d.copy() → dict`: shallow copy of `d`

`d.has_key(k) → bool`: test key presence - same as `k in d`

`d.items() → list`: copy of `d`'s list of (key, item) pairs

`d.keys() → list`: copy of `d`'s list of keys

`d.update(other) → copy other's pairs into d`

`d.update(iterable) → copy (key,value) pairs into d`

`d.update(**kwargs) → copy name=value pairs into d`

`d.values() → list`: copy of `d`'s list of values

`d.get(key, defval) → value: d[key] if key in d, else defval`

`d.setdefault(key[, defval=None]) → value: if key not in d set d[key]=defval, return d[key]`

`d.iteritems() → iterator over (key, value) pairs`

`d.iterkeys() → iterator over keys`

`d.itervalues() → iterator over values`

`d.pop(key[, defval]) → value: del key and returns the corresponding value. If key is not found, defval is returned if given, otherwise KeyError is raised`

`d.popitem() → removes and returns an arbitrary (key, value) pair from d`

¹ If key doesn't exist, raise `KeyError` exception.

Overriding Mapping Operations

`__getitem__(self, key) → value for key, called for self[key]`

`__setitem__(self, key, value) → set value for key, called for self[key]=value`

`__delitem__(self, key, value) → remove value for key, called for del self[key]`

| Can also override container operations and object operations.

Other Mappings

For on-disk mappings, see standard module `shelve`, and database modules .

For ordered mappings see third party modules `OrderedDict`.

SETS

Unordered collections of unique items. Frozen sets are immutable once created.

`set([iterable]) → set`: using values from iterable

`frozenset([iterable]) → frozenset`: using values from iterable

Operations on Sets

See Operations on Containers (p7) too.

`s.issubset(others) → bool`: test `s ⊂ others`

`s.issuperset(others) → bool`: test `others ⊂ s`

`s.add(item) → add item to set`

`s.remove(item) → remove item from set`

`s.clear() → removes all items from (not frozen) set`

`s.intersection(others) → set: s ∩ others`

`s & others → set: s ∩ others`

`s.union(others) → set: s ∪ others`

`s | others → set: s ∪ others`

`s.difference(others) → set: [x / x ∈ s and x ∉ others]`

`s - others → set: [x / x ∈ s and x ∉ others]`

`s.symmetric_difference(others) → set: [x / x ∈ s xor x ∈ others]`

`s ^ others → set: [x / x ∈ s xor x ∈ others]`

`s.copy() → set: shallow copy of s`

`s.update(iterable) → adds all values from iterable to s`

¹ Raise `KeyError` if object not in set.

Results set have same type as s object (`set/frozenset`).

OTHER CONTAINERS STRUCTURES, ALGORITHMS

Generally containers follow Python idioms, you can use : `len` (cont) , `cont[i]`, `for item in cont`...:

Array

Standard module `array` provides efficient array of basic types. It uses compact storage for elements of same type.

Type Codes

n	tc	C type	py type	n	tc	C	py type
1	'b'	signed char	int	1	'B'	unsigned char	int
1	'c'	char	str	2	'u'	unicode char	unicode
2	'h'	signed short	int	2	'H'	unsigned short	int
2	'i'	signed int	int	2	'I'	unsigned int	long
4	'l'	signed long	int	4	'L'	unsigned long	long
4	'f'	float	float	8	'd'	double	float

| n=size in bytes, tc=char typecode to use

Functions

`array(tc,[iterable])` → `array`: with typecode tc, initialized from iterable
`a.typecode` → str: typecode of a data
`a.itemsize` → int: bytes size of a data
`a.append(expr)` ▶ append item expr to end of a
`a.extend(array)` ▶ append items from another array
`a.count(expr)` → int: number of expr items
`a.index(expr)` → int: first index of expr item
`a.insert(index,expr)` ▶ expr item inserted at index
`a.remove(expr)` ▶ remove first expr item
`a.pop([index])` → value: return and remove item at index (default -1)
`a.reverse()` ▶ items in array are reversed
`a.buffer_info()` → (int{2}): current storage infos (address,items count)
`a.byteswap()` ▶ swap bytes of array items
`a.fromfile(f,n)` ▶ append n items read from real binary file f¹
`a.tofile(f)` ▶ write all items to real binary file f
`a.fromlist(list)` ▶ extend array from values in list
`a.tolist()` → list: items in a list
`a.fromstring(S)` ▶ extend array from values in binary buffer s (string)
`a.tostring()` → str: items in binary representation
`a.fromunicode(S)` ▶ extend 'u' array from data in unicode string
`a.tounicode()` → unicode: convert 'u' array to unicode string
¹ If less items than needed, get available ones then raise EOFError.
Old methods read and write replaced by fromfile and tofile.

Queue

Standard module `collections` provides queues management.

`deque([iterable])` → deque: initialized from iterable
`q.append(x)` ▶ add x to right side of deque
`q.appendleft(x)` ▶ add x to left side of deque
`q.clear()` ▶ remove all elements from deque
`q.extend(iterable)` ▶ extend right side of deque with iterable items
`q.extendleft(iterable)` ▶ extend left side of the deque with iterable items
`q.pop()` → item: pop and return item from dequeue right side
`q.popleft()` → item: pop and return item from dequeue left side
`q.rotate(n)` ▶ rotate deque from n steps, to right if n>0, to left if n<0
Can also use standard operations on sequences : `len(q)` , `reversed(q)` , `copy.copy(q)` , `copy.deepcopy(q)` , `item in q` , `q[-1]` , and serialization via pickling protocol.

Priority Queues

Standard module `heapq`. Structure a list as a priority queue.

`heifify(x)` ▶ transform list x into heap
`heappush(heap,item)` ▶ push item onto heap
`heappop(heap)` → item: pop and return smallest item from the heap
`heareplace(heap,newitem)`→ item: pop and return smallest item from the

heap, push newitem
`nlargest(n,iterable)` → list: n largest from iterable
`nsmallest(n,iterable)` → list: n smallest items from iterable

Sorted List

Standard module `bisect` maintains lists sorted (via basic bisection algo).
`bisect_left(list,item[,lo[,hi]])` → int: index to insert item at leftmost sorted position¹
`bisect_right(list,item[,lo[,hi]])` → int: index to insert item at rightmost sorted position¹
`bisect(...)` ▶ alias for `bisect_right(...)`
`insort_left(list,item[,lo[,hi]])` ▶ insert item at leftmost sorted position¹
`insort_right(list,item[,lo[,hi]])` ▶ insert item at rightmost sorted position¹
`insort(...)` ▶ alias for `insort_right(...)`
¹ With list previously sorted.

Iteration Tools

Standard module `itertools` provides some practical iterators.
`chain([iterable,...])` → iterator over items of several iterables
`count([start])` → iterator over integers from start (default 0)
`cycle([iterable])` → iterator cycling over iterable items
`dropwhile(predicate,iterable)` → iterator over items of iterable where predicate(item) is false
`groupby([iterable[,keyfunc]])` → iterator over (key,value,group¹) of items where keyfunc(item)=key value, default keyfunc is identity
`ifilter(predicate,iterable)` → iterator over items of iterable where predicate(item) is true - None predicate filter items being true
`ifilterfalse(predicate,iterable)` → iterator over items of iterable where predicate(item) is false - None predicate filter items being false
`imap(function,iterable[,...])` → iterator over function(items at same index from iterables²), None function return tuples items
`islice([iterable,[start[,stop[,step]]])` → iterator over items at slice³ indexes from iterable, None stop goes up to end
`izip([iterable,...])` → iterator over tuple(items at same index from iterables)
`repeat(object,[count])` → iterator returning object over and over again, up to count times (default to infinite)
`starmap(function,iterable)` → iterator over function(*tuple item from iterable)
`takewhile(predicate,iterable)` → iterator over items of iterable where predicate(item) is true
`tee([iterable[,n]])` → n independent iterators from same iterable⁴, default n=2
¹ Group of items is internally used - must save it as list if needed after current iteration.
² Stop at end of shorter iterable.
³ Slice parameters cannot be negative.
⁴ Don't use iterable out of tee created iterators.

DATE & TIME

Module time

Standard module `time` defines common functions and data.

Date & Time Data

- `float_time` = float containing seconds from 'epoch' (january 1 1970 on Unix - see `gmtime(0)`), with sub-second precision in decimal part.
- `tuple_time` = tuple containing 9 int (see table).
- `struct_time` = tuple/object with int attributes (see table).

#	attribute	value	#	attribute	value
0	<code>tm_year</code>	int	5	<code>tm_sec</code>	0...61
1	<code>tm_mon</code>	1...12	6	<code>tm_wday</code>	0...6 (monday=0)
2	<code>tm_mday</code>	1...31	7	<code>tm_yday</code>	0...366
3	<code>tm_hour</code>	0...23	8	<code>tm_isdst</code>	0 (no) 1 (yes) -1 (unknown)
4	<code>tm_min</code>	0...59			

- `float_delay` = float containing seconds, with sub-second precision.

DST is local time, UTC is universal (GMT) time.

`accept2dyear` → [rw] bool: accept two-digit year values (default true), modifiable via environment var PYTHONY2K
`altzone` → int: offset (pos/neg) in seconds of DST relatively to UTC, in seconds, use only if daylight is true
`daylight` → int: #0 if a DST timezone is defined
`timezone` → int: offset (pos/neg) in seconds of local (non DST) timezone
`tzname` → (str{2}): names of local timezone (non-DST, DST)

Functions

`asctime([t=2])` → str: build local time string from t (tuple_time or struct_time)
`clock()` → float: processor time in seconds, for accurate relative time measurement
`ctime([secs=2])` → str: build local time string from float_time second
`gmtime([secs=2])` → struct_time: convert float_time to UTC struct_time
`localtime([secs=2])` → struct_time: convert float_time to DST struct_time
`mktime(t)` → float_time: convert DST t (tuple_time or struct_time) to float_time - may raise OverflowError or ValueError
`sleep(secs)` ▶ execution suspended during secs (float_delay) times, maybe less (signal catching), may be more (process/thread scheduling)
`strftime(format[,t=2])` → str: build time string from t (tuple_time or struct_time) using format string (table infra) - may raise ValueError
`strptime(string[,format])` → struct_time: parse string using time format¹ - may raise ValueError
`time()` → float_time: current UTC time
`tzset()` ▶ resets time conversion rules accordingly to environment variable TZ - unix only, see docs
¹ Default format "%a %b %d %H:%M:%S %Y". Missing values default to (1900, 1, 1, 0, 0, 0, 1, -1)
² Param secs default to current time, param t default to local current time.

Time format strings

%a	Abbreviated weekday name ¹ .	%A	Full weekday name ¹ .
%b	Abbreviated month name ¹ .	%B	Full month name ¹ .
%c	Appropriate date and time representation ¹ .	%d	Month day [01,31].
%H	Hour [00,23].	%I	Hour [01,12].
%j	Year day [001,366].	%m	Month [01,12].
%M	Minute [00,59].	%p	AM or PM ¹ .
%S	Second [00,61].	%U	Year week [00,53] (Sunday based).
%w	Week day [0,6] (0=Sunday).	%W	Year week [00,53] (Monday based).
%x	Appropriate date representation ¹ .	%X	Appropriate time representation ¹ .
%y	Year [00,99].	%Y	Year (with century).
%Z	Time zone name (no characters if no time zone exists).	%%	Literal % char.

¹ Locale language representation.

Module datetime

Standard module `datetime` has tools for date/time arithmetics, data extraction and manipulation.

Defines class : `timedelta, time, date, datetime, [tzinfo]`.

Module timeit

Standard module `timeit` has functions to measure processing time of code. It can be used in scripts (see docs), or directly in command line : `python -mtimeit [-n N] [-r N] [-s S] [-t] [-c] [-h] [statement [...]]`

-n N / --number=N	execute statement N times
-r N / --repeat=N	repeat timer N times (default 3)
-s S / --setup=S	executed S once initially (default <code>pass</code>)
-t / --time	use <code>time.time()</code> (default except Windows)
-c / --clock	use <code>time.clock()</code> (default on Windows)
-v / --verbose	print raw timing results - may repeat option
-h / --help	print help and exit

Other Modules

Standard module `calendar` has functions to build calendars.
See also third party module `mxDateTime`.

FILES

Normal file operations use Python `file` objects (or `file-like` objects with same interface). Some functions directly manipulate files path names (strings). Functions mapping low level OS handlers (mainly those in standard `os` module) use numeric file descriptors (`fd` also known as `fileno`).

Raw data use `str` type (can contain any data byte values, including 0).

File Objects

Standard file type is builtin `file`. It defines the Python file protocol.

Create a file : `file(filename[, mode='r'[, bufsize]])` → `file` object

Mode flags (combinable) : `'r'` read, `'w'` write new, `'a'` write append, `'+'` update, `'b'` binary¹, `'U'` universal newline².

Buffer size : 0 unbuffered, 1 line buffered, >1 around that size.

`Open()` is an alias for `file()`

¹ Default text mode tries to interpret newline sequences in the file.

² Automatically choose newline sequence in CR or LF or CR+LF adapted from file/to platform.

Methods and Functions

`f.close()` → file flushed and no longer usable
`f.fileno()` → `int`: low level file descriptor (`fd`)
`f.flush()` → buffers written to file on disk
`f.isatty()` → `bool`: indicator file is a terminal
`f.read([size])` → `str`: block of data read from file
`f.readline()` → `str`: next line read from file, end of line removed
`f.readlines()` → [`str`]: list of all lines read from file, end of lines removed
`f.seek(offset[, whence=0])` → modify current position in file - whence: 0 from start, 1 from current, 2 from end
`f.tell()` → `int`: current position in file
`f.write(string)` → data written to file
`f.writelines(listofstrings)` → data written to file (no end of line added)
`for line in f : ...` → iterate line over lines of f

| Old method `xreadlines` replaced by iteration on file object.
For optimized direct access to random lines in text files, see module `linecache`.

Attributes

`f.closed` → `bool`: indicator file has been closed
`f.encoding` → `str/None`: file content encoding
`f.name` → `str`: name of the file
`f.newlines` → `str/tuple` of `str/None`: encountered newlines chars
`f.softspace` → `bool`: indicator to use soft space with `print` in file

Low-level Files

Base low-level functions are in standard module `os`.

| Careful of clash with builtins with `os.open` name.

`open(path, flags[, mode=0777])` → `int` (`fd`): open file `path` - see `flags` infra - mode masked out with umask
`fdopen(fd[, mode[, bufsize]])` → `file`: build a `file` connected to `fd` - mode and `bufsize` as for builtin `open()` + mode must start with `r` or `w` or `a`
`dup(fd) → int` (`fd`): duplicate file descriptor `fd`
`dup2(fd, fd2) → int` (`fd`): duplicate file descriptor `fd` into `fd2`, previously closing `fd2` if necessary
`close(fd)` → close file descriptor
`read(fd, n) → str`: read as most `n` bytes from `fd` file - return empty string if end of file reached
`write(fd, str) → int`: write `str` to `fd` file - return number of bytes actually written
`lseek(fd, pos, how) → set` file descriptor position - `how`: 0 from start, 1 from current, 2 from end
`fdatasync(fd)` → flush file data to disk - don't force update metadata (Unix)

`fsync(fd)` → force low level OS buffers to be written
`ftruncate(fd, length)` → truncate file descriptor to at most length (Unix)

Open Flags

Constants defined in `os` module, use bit-wise OR (`x|y|z`) to mix them.
`O_RDONLY` → read only
`O_WRONLY` → write only
`O_RDWR` → read/write
`O_APPEND` → append each write to end
`O_CREAT` → create new file (remove existing)
`O_EXCL` → with `O_CREAT`, fail if file exist (Unix)
`O_TRUNC` → reset existing file to zero size
`O_DSYNC` → xxxxxx (Unix)
`O_RSYNC` → xxxxxx (Unix)
`O_SYNC` → return from IO when data are physically written (Unix)
`O_NDELAY` → return immediately (don't block caller during IO) (Unix)
`O_NONBLOCK` → same as `O_NDELAY` (Unix)
`O_NOCTTY` → terminal device file can't become process tty (Unix)
`O_BINARY` → don't process end of lines (cf+lf from/to cr) (Windows)
`O_NOINHERIT` → xxxxxx (Windows)
`O_SHORT_LIVED` → xxxxxx (Windows)
`O_TEMPORARY` → xxxxxx (Windows)
`O_RANDOM` → xxxxxx (Windows)
`O_SEQUENTIAL` → xxxxxx (Windows)
`O_TEXT` → xxxxxx (Windows)

Pipes

For standard process redirection using pipes, see also Simple External Process Control (p14).
`os.pipe() → ((int{2}){2})`: create pair (fdmaster,fdslav) of fd (read,write) for a pipe
`os.mkfifo(path[, mode=0666])` → create named pipe `path` - mode masked out with umask - don't open it (Unix)
Use `os` functions on file descriptors.

In-memory Files

Memory Buffer Files

Use standard modules `StringIO` and `cStringIO` to build file-like objects storing data in memory.
`f = StringIO.StringIO()`
| Build a file-like in memory.
`f.write(string)` → data written to file
f....other file writing methods...
`f.getvalue() → str`: current data written to file
`f.close()` → file no longer usable, free buffer
`cStringIO` is a compiled (more efficient) version of `StringIO` for writing. Optional argument allows to build memory files to read from too.
`f = cStringIO.StringIO([string])`
`f.read([size]) → str`: block of data read from 'file' (string)
f....other file reading methods...

Memory Mapped Files (OS level)

Standard module `mmap` manage memory-mapped files, usable as file-like objects and as mutable string-like objects.
To build a memory map :
`mm = mmap.mmap(fileno, length[, tagname[, access]])` [windows]
`mm = mmap.mmap(fileno, length[, flags[, prot[, access]]])` [unix]
Use an os file descriptor (from `os.open()` or from file-object's `fileno()`) for a file opened for update.
Length specify amount of bytes to map. On windows, file may be extended to that length if it is shorter, it can't be empty, and 0 correspond to maximum length for the file.
Access (keyword param) : `ACCESS_READ` (readonly), `ACCESS_WRITE` (write-through, default on Windows), or `ACCESS_COPY` (copy-on-write).

On Windows, tagname allow to identify different mappings against same file (default to None).

On Unix, flags : `MAP_PRIVATE` (copy-on-write private to process) or `MAP_SHARED` (default). And prot (memory protection mask) : `PROT_READ` or `PROT_WRITE`, default is `PROT_READ|PROT_WRITE`. If use prot+flags params, don't use access param.

`mm.close()` → mmap file no longer usable
`mm.find(string[, start=0]) → int`: offset / -1
`mm.flush([offset, size])` → write changes to disk
`mm.move(dest, src, count)` → copy data in file
`mm.read([size]) → str`: block of data read from mmap file¹
`mm.read_byte() → str`: next one byte from mmap file¹
`mm.readline() → str`: next line read from file, end of line is not removed¹
`mm.resize(newsize)` → writable mmap file resizer
`mm.seek(offset[, whence=0])` → modify current position in mmap file - whence: 0 from start, 1 from current, 2 from end
`mm.size() → int`: length of the real os file
`mm.tell() → int`: current position in mmap file
`mm.write(string)` → data written to mmapfile¹
`mm.write_byte(byte)` → str of one char (byte) data written to mmap file¹

| ¹ File-like methods use and move file seek position.

Files Informations

Functions to set/get files informations are in `os` and in `os.path` module, some in `shutil` module. Constants flags are defined in standard `stat` module.

| Some functions accessing process environment data (ex. current working directory) are documented in Process section.

`os.access(path, mode)` → `bool`: test for path access with mode using real uid/gid - mode in `F_OK, R_OK, W_OK, X_OK`
`os.F_OK` → access mode to test path existence
`os.R_OK` → access mode to test path readable
`os.W_OK` → access mode to test path writable
`os.X_OK` → access mode to test path executable
`os.chmod(path, mode)` → change mode of path - mode use `stat.S_*` constants
`os.chown(path, uid, gid)` → change path owner and group (Unix)
`os.lchown(path, uid, gid)` → change path owner and group - don't follow symlinks(Unix)
`os.fstat(fd) → int`: status for file descriptor
`os.fstatvfs(fd) → statvfs_result`: informations about file system containing file descriptor (Unix)
`os.stat(path) → stat` structure object: file system informations (Unix)
`os.lstat(path) → stat` structure object: file system informations (Unix) - dont follow symlinks
`os.stat_float_times([newvalue]) → bool`: test/set `stat` function time stamps data type - avoid setting new value
`os.statvfs(path) → statvfs_result`: informations about file system containing path (Unix)
`os.utime(path, times)` → set access and modification times of file path - times=(atime,mtime) (numbers) - times=`None` use current time
`os.fpathconf(fd, name) → str / int`: system configuration information about file referenced by file descriptor - see platform documentation and `pathconf_names` variable - name `str` or `int` (Unix)
`os.pathconf(path, name) → str / int`: system configuration information about file referenced by file descriptor - see platform documentation and `pathconf_names` variable - name `str` or `int` (Unix)
`os.pathconf_names → dict`: name → index - names accepted by `pathconf` and `fpathconf` → corresponding index on host (Unix)
`os.path.exists(path) → bool`: test existing path - no broken symlinks
`os.path.lexists(path) → bool`: test existing path - allow broken symlinks
`os.path.getatime(path) → float`: last access time of path
`os.path.getmtime(path) → float`: last modification time of path
`os.path.getctime(path) → float`: creation time (windows) or last

modification time (unix) of path
`os.path.getsize(path)` → `int`: bytes size of path file
`os.path.isabs(path)` → `bool`: test absolute
`os.path.isfile(path)` → `bool`: test regular file (follow symlinks)
`os.path.isdir(path)` → `bool`: test existing directory (follow symlinks)
`os.path.islink(path)` → `bool`: test symlink
`os.path.ismount(path)` → `bool`: test mount point
`os.path.samefile(path1, path2)` → `bool`: test refer to same real file (unix,macos)
`os.path.sameopenfile(f1, f2)` → `bool`: test opened files refer to same real file (unix,macos)
`os.path.samestat(stat1, stat2)` → `bool`: test stat tuples refer to same file (unix,macos)
`shutil.copymode(srcpath, dstpath)` ➤ copy normal file permission bits
`shutil.copystat(srcpath, dstpath)` ➤ copy normal file permission bits and last access and modification times

Stat Structures

`stat_result` is returned by `stat` and `lstat` functions, usable as a tuple and as object with attributes :

#	attribute	usage
0	<code>st_mode</code>	protection bits
1	<code>st_ino</code>	inode number
2	<code>st_dev</code>	device
3	<code>st_nlink</code>	number of hard links
4	<code>st_uid</code>	user ID of owner
5	<code>st_gid</code>	group ID of owner
6	<code>st_size</code>	size of file, in bytes
7	<code>st_atime</code>	time of most recent access
8	<code>st_mtime</code>	time of most recent content modification
9	<code>st_ctime</code>	time of most recent metadata change on Unix, time of creation on Windows
	<code>st_blocks</code>	number of blocks allocated for file (Unix)
	<code>st_blksize</code>	filesystem blocksize (Unix)
	<code>st_rdev</code>	type of device if an inode device (Unix)
	<code>st_rsize</code>	size of resource fork, in bytes(MacOS)
	<code>st_creator</code>	file creator code (MacOS)
	<code>st_type</code>	file type code (MacOS)

`statvfs_result` is returned by `fstatvfs` and `statvfs` functions, usable as a tuple (use `statvfs` variable indexs) and as an object with attributes :

#	attribute	index var	usage
0	<code>f_bsize</code>	<code>F_BSIZE</code>	preferred file system block size
1	<code>f_frsize</code>	<code>F_FRSIZE</code>	fundamental file system block size
2	<code>f_blocks</code>	<code>F_BLOCKS</code>	total number of blocks in the filesystem
3	<code>f_bfree</code>	<code>F_BFREE</code>	total number of free blocks
4	<code>f_bavail</code>	<code>F_BAVAIL</code>	free blocks available to non-super user
5	<code>f_files</code>	<code>F_FILES</code>	total number of file nodes
6	<code>f_ffree</code>	<code>F_FFREE</code>	total number of free file nodes
7	<code>f_favail</code>	<code>F_FAVAIL</code>	free nodes available to non-super user
8	<code>f_flag</code>	<code>F_FLAG</code>	flags - see host statvfs(1) man page
9	<code>f_namemax</code>	<code>F_NAMEMAX</code>	maximum file name length

Stat Constants

Defined in standard `stat` module.

`S_ISUID` → XXXXX
`S_ISGID` → XXXXX
`S_ENFMT` → XXXXX
`S_ISVTX` → XXXXX
`S_IREAD` → 00400 user can read
`S_IWRITE` → 00200 user can write
`S_IEXEC` → 00100 user can execute
`S_IRWXU` → 00700 user can read+write+execute

`S_IRUSR` → 00400 user can read
`S_IWUSR` → 00200 user can write
`S_IXUSR` → 00100 user can execute
`S_IRWXG` → 00070 group can read+write+execute
`S_IRGRP` → 00040 group can read
`S_IWGRP` → 00020 group can write
`S_IXGRP` → 00010 group can execute
`S_IRWXO` → 00007 everybody can read+write+execute
`S_IROTH` → 00004 everybody can read
`S_IWOTH` → 00002 everybody can write
`S_IXOTH` → 00001 everybody can execute

Terminal Operations

`os.openpty()` → `(int{2})`: open pseudo-terminal¹ pair
`(fdmaster, fdslave)=(pty, tty)` (Unix)
`os.ttyname(fd)` → `str`: terminal device associated to fd (Unix)
`os.isatty(fd)` → `bool`: test file descriptor is a tty-like (Unix)
`os.tcsetpgrp(fd, pg)` ➤ set process group id associated with terminal fd (Unix)
`os.tcgetpgrp(fd)` → `int`: process group associated with terminal fd (Unix)

See also standard modules `tty` and `pty`. For user-interface control on text terminal , see standard package `curses` and its sub-modules.

Temporary Files

Use standard `tempfile` module. It defines several functions to make life easier and more secure.
`TemporaryFile([mode='w+b'[, bufsize=-1[, suffix[, prefix[, dir]]]])` → file/file-like: temp file - removed on close - not necessary visible in file-system - dir and prefix as for `mkstemp`
`NamedTemporaryFile([mode='w+b'[, bufsize=-1[, suffix[, prefix[, dir]]]])` → file/file-like: like `TemporaryFile` - file visible in file-system
`mkstemp([suffix[, prefix[, dir[, text]]]])` → `(int, str)`: (fd, path) of new temporary file - no race condition - only creator can read/write - no executable bit - not automatically deleted - binary mode unless text specified
`mkdtemp([suffix[, prefix[, dir]]])` → `str`: path of new temporary directory created - no race condition - only creator can read/write/search - not automatically deleted
`gettempdir()` → `str`: default directory for temporary files
`gettempprefix()` → `str`: default filename prefix for temporary files

Other functions in `tempfile` and `os` modules are kept for code compatibility, but are considered not enough secured. Also `tempdir` and template data in `tempfile` - which should not be used directly.

Path Manipulations

Path manipulation functions are in standard `os.path` module.
`supports_unicode_filenames` → `bool`: unicode usable for file names
`abspath(path)` → `str`: normalized absolutized pathname
`basename(path)` → `str`: file name part of path
`commonprefix(pathlist)` → `str`: longest common path prefix (char-by-char)
`dirname(path)` → `str`: directory name of pathname
`join(path[,...])` → `str`: concatenate path components
`normcase(path)` → `str`: normalize path case for platform (see doc)
`normpath(path)` → `str`: normalize path (// ./ ../), on windows /→ \
`realpath(path)` → `str`: canonical path (remove symlinks) (unix)
`split(path)` → `(str{2})`: split into (head, last pathname component)
`splitdrive(path)` → `(str{2})`: split into (drive, tail)
`splitext(path)` → `(str{2})`: split into (root, ext)

Host Specific Path Data

`sys.getfilesystemencoding()` → `str`: name of encoding used by system for filenames
Following data are in `os` and in `os.path`.
`curdir` → `str`: string used to refer to current directory
`pardir` → `str`: string used to refer to parent directory
`sep` → `str`: char used to separate pathname components

`altsep` → `str`: alternative char used to separate pathname components
`extsep` → `str`: char used to separate base filename from extension
`pathsep` → `str`: conventional char to separate different paths

Directories

`os.listdir(path)` → `[str]/[unicode]`: list names in `path` directory - without . and .. - arbitrary order - path string type → item strings type
`os.mkdir(path[, mode=0777])` ➤ create directory `path` - mode masked out with umask
`os.makedirs(path[, mode=0777])` ➤ create directory `path`, recursively - mode masked out with umask - don't handle Windows' UNC path
`os.rmdir(path)` ➤ remove directory path
`os.removedirs(path)` ➤ remove directories, recursively
`os.walk(top[, topdown=True [, onerror=None]])` → iterable: go through dirs under `top`, for each dir yield tuple(dirpath, dirnames, filenames) - `onerror=fct(os.error)` - see docs
`os.path.walk(path, visit, arg)` ➤ call `visit(arg, dirname, names)` for dirs rooted at `path` - may modify names (files list) to influence walk, may prefer to use `os.walk`

Special Files

`os.link(src, dst)` ➤ create hard link named `dst` referencing `src` (Unix)
`os.symlink(src, dst)` ➤ create symbolic link named `dst` pointing to `src` (Unix)
`os.readlink(path)` → `str`: path pointed to by symbolic link
`os.mknod(path[, mode=0666, device])` ➤ create FS node (file, device special file, named pipe) - mode = permissions | nodetype - node type in `S_IFREG`, `S_IFCHR`, `S_IFBLK`, and `S_IFIFO` defined in `stat` module
`os.major(device)` → `int`: raw device major number
`os.minor(device)` → `int`: raw device minor number
`os.makedev(major, minor)` ➤ compose raw device from major and minor numbers

Copying, Moving, Removing

`os.remove(path)` ➤ remove file path (not directory)
`os.rename(src, dst)` ➤ rename `src` to `dst` - on same filesystem- may remove existing dst file
`os.renames(old, new)` ➤ rename `old` to `new`, recursively - try to create intermediate directories
`os.unlink(path)` ➤ remove file path (not directory) - same as `remove`
Standard module `shutil` provides high level functions on files and directories.
`copyfile(src, dst)` ➤ copy normal file content - overwrite destination².
`copyfileobj(fsrou, fdst[, length=16kb])` ➤ copy file-like object content by blocks of length size (<0=one chunk)
`copy(src, dst)` ➤ copy normal file content to file/directory² - in case of directory use same basename as src - overwrite destination - copy permission bits.
`copy2(src, dst)` ➤ same as `copy` + copy last access and modification times².
`copytree(src, dst[, symlinks=False])` ➤ recursively copy directory tree - destination must be new - files copied via `copy` - if `symlinks` is False, copy symbolic links files content, else just make symbolic links.¹
`rmtree(path[, ignore_errors=False, onerror=None])` ➤ recursively delete directory tree - `onerror=fct(fcrtref, path, excinfo)`.¹
`move(src, dst)` ➤ recursively move file or directory tree - may rename or copy.¹

¹ May raise `shutil.Error` exception.

² Params src and dst are files path names.

Encoded Files

Standard module `codecs` have functions and objects to transparently process encoded files (used internally as unicode files).
`codecs.open(filename, mode[, encoding[, errors[, buffering]])` → file-like `EncodedFile` object with transparent encoding/decoding
`codecs.EncodedFile(file, input[, output[, errors]])` → file-like wrapper around file, decode from input encoding and encode to output encoding
`codecs.BOM` → `str`: alias for `BOM_UTF16`
`codecs.BOM_BE` → `str`: alias for `BOM_UTF16_BE`

```

codecs.BOM_LE → str: alias for BOM_UTF16_LE
codecs.BOM_UTF8 → str: '\xef\xbb\xbf'
codecs.BOM_UTF16 → str: alias for BOM_UTF16_LE or BOM_UTF16_BE
codecs.BOM_UTF16_BE → str: '\xfe\xff'
codecs.BOM_UTF16_BE → str: '\xff\xfe'
codecs.BOM_UTF32 → str: alias for BOM_UTF32_LE or BOM_UTF32_BE
codecs.BOM_UTF32_BE → str: '\x00\x00\xfe\xff'
codecs.BOM_UTF32_BE → str: '\xff\xfe\x00\x00'
| See Encoding - Decoding (p12) for details about encoding and errors.

```

Serialization

Standard modules `pickle` and `cPickle` (speed up to 1000x) have support for data serialization of objects hierarchies.

See Python documentation.

| See also module `marshal` (read/write of Python data in platform independant binary format - but can broke format between releases).

Persistence

Standard module `shelve` use pickling protocol to store objects in DBM files (see p17) and access them via a dictionnary-like interface with keys as `str`.

`open(filename[, flag[, protocol[, writeback[, binary]]]])` → dictionary-like object - flag as `anydbm.open` (p17), default to 'c' - protocol default to 0 (ascii format) - writeback: cache accessed entries in memory and written them back at close time, default to False - binary is deprecated, use `protocol`.

Configuration Files

Standard module `ConfigParser`. It uses standard .INI files to store configuration data :

[section]	Values can contain % (name)s references which may be expanded using values in same section or in defaults
name:value	
name=value	
# and ; start comment lines.	

Module defines 3 configuration classes with different data access level :

```

RawConfigParser
ConfigParser
SafeConfigParser
rp=RawConfigParser([defaults]) → RawConfigParser
cp=ConfigParser([defaults]) → ConfigParser
sp=SafeConfigParser([defaults]) → SafeConfigParser

```

In the three constructors, `defaults` is a `dict` of option:value for references expansion.

`MAX_INTERPOLATION_DEPTH` → `int`: max recursive depth for `get()` when raw parameter is false

`DEFAULTSECT` → `str`: name of default section

Raw Interface

```

rp.defaults() → dict: default values for references expansion
rp.sections() → [String]: list sections in config (without DEFAULT)
rp.add_section(section) → add a new section - may raise
    DuplicateSectionError
rp.has_section(section) → bool: test if section exists - cant test for DEFAULT
rp.options(section) → [String]: list options in section
rp.has_option(section,option) → bool: test if section and option exists
rp.read([filename]filename) → [filename]: try to load configuration data from files (continue if fail) - return names of loaded files
rp.readfp(fp[,filename]) → load configuration data from file/file-like
rp.get(section,option) → str: option value
rp.getint(section,option) → int: coerce option value to int
rp.getfloat(section,option) → float: coerce option value to float
rp.getboolean(section,option) → bool: coerce option value to bool - True is strings 1 yes true on - False is strings 0 no false off - may raise
    ValueError
rp.items(section) → [(name,value)]: options in the section
rp.set(section,option,value) → set option to string value in section - may raise NoSectionError

```

```

rp.write(fileobject) → write configuration data to file
rp.remove_option(section,option) → bool: return True if there was such option - may raise NoSectionError
rp.remove_section(section) → bool: return True if there was such section
rp.optionxform(option) → str: normalized internal form of option

```

Normal Interface

```

cp.get(section,option[,raw[,vars]]) → string: value for option in section - % interpolation expanded unless raw is true - vars is a dict of additional defaults - reference expansion names are processed by optionxform() for matching
cp.items(section[,raw[,vars]]) → [(name,value)]: for given section - raw and vars as in get()

```

Safe Interface

```

sp.set(section,option,value) → set value string for section and option

```

Exceptions

```

(Exception)
    Error
    ParsingError
        NoSectionError
        DuplicateSectionError
        MissingSectionHeaderError
    NoOptionError
    InterpolationError
        InterpolationDepthError
        InterpolationMissingOptionError
        InterpolationSyntaxError

```

For similar file format supporting nested subsections, see `ConfigObj` config parser. For windows users, standard module `_winreg`. For text-file configs, can use XML tools, and see also third party YAML parsers like `PyYAML`.

EXCEPTIONS

Standard exceptions defined in `exceptions` module, and available in current scope.

All exceptions must be subclasses of `Exception` root class.

| Use standard exceptions if their meaning correspond to you errors.
Subclass standard exceptions when needed.

Standard Exception Classes

```

Exception
StopIteration → iterator's next(), no more value.
SystemExit → sys.exit() called
StandardError → built-in exceptions
    ArithmeticError → arithmetic errors.
        FloatingPointError
        OverflowError
        ZeroDivisionError
    AssertionError → assert cond[, message] failed.
    AttributeError → attribute set/get failed.
EnvironmentError → host system error - see arg tuple attribute
    IOError
    OSError
        WindowsError → Windows error codes.
EOFError → end-of-file with input() or raw_input().
ImportError
KeyboardInterrupt → user interrupt (Ctrl-C).
LookupError
    IndexError → non-existent sequence index.
    KeyError → non-existent mapping key.
MemoryError
NameError → non-existent name in current scope.
    UnboundLocalError → reference to an unassigned local variable.
    ReferenceError → try accessing weak-ref disposed object.

```

`RuntimeError` — (prefer defining ad-hoc subclasses).

NotImplementedError

SyntaxError

IndentationError

TabError

SystemError — a bug... in Python.

TypeError

ValueError — good type, but bad value.

UnicodeError

Warning — warnings superclass (see Warnings infra)

UserWarning

PendingDeprecationWarning

DeprecationWarning

SyntaxWarning

RuntimeWarning

Warnings

Warnings must be subclasses of `Warning` root class.

Standard `warnings` module control processing of warning exceptions.

`warn(message[,category[,stacklevel]])`

`warn_explicit(message,category,filename,lineno[,module[,registry]])`

`showwarning(message,category,filename,lineno[,file])`

`formatwarning(message,category,filename,lineno)`

`filterwarnings(action[,message[,category[,module[,lineno[,append]]]]])`

`resetwarnings()`

`sys.warnoptions`

Exceptions Processing

`sys.exc_info()` → (type,value,traceback) for current exception¹

`sys.exc_clear()` → current exception related informations cleared

`sys.excepthook` → (rw) fct(type,value,traceback) called for uncaught exceptions

`sys._excepthook_` → backup of original excepthook function

`sys.tracebacklimit` → int: (rw) maximum levels of traceback printed, <= 0 for none

| ¹ Or (None,None,None) if no running exception.

Standard module `traceback` has tools to process and format these informations.

ENCODING - DECODING

Standard module `codecs` provide base support for encoding / decoding data. This is used for character encodings, but also for data compression (zip, bz2) or data representation (uu, hex).

See Unicode strings (p5), Source encodings (p3).

See functions, classes and constants for files encoding in Encoded Files (p11).

Module `encodings.aliases`.

THREADS & SYNCHRONIZATION

Python threads use native threads. A global mutex (the GIL) lock interpreter data during Python virtual instructions execution (it is unlocked during I/O or long computation in native code). Check for thread switching and signal processing is performed at regular interval.

`sys.getcheckinterval()` → int: current thread switching check interval¹

`sys.setcheckinterval(interval)` → set thread switching check interval¹

| ¹ Expressed in number of Python virtual instructions.

Threading Functions

Use standard high level module `threading` which provides several classes : `Thread`, `local` (for thread local storage), `Event`, `Lock` and `RLock` (mutex), `Semaphore` and `BoundedSemaphore`, `Timer`.

Module `threading` also provides functions :

`activeCount()` → int: number of currently active threads

`currentThread()` → Thread: current running thread

`enumerate()` → [Thread]: list of active threads

`settrace(func)` ➤ install trace function called before threads run methods
`setprofile(func)` ➤ install profile function called before threads run methods
Standard module `thread` supports low level thread management.
 Use modules `dummy_thread` and `dummy_threading` on platforms without multithreading.

Threads

Class `threading.Thread` is used to create new execution path in current process. It must be called with keyword arguments. Specify thread code with a callable `target` param or by overriding `run` method (remember calling inherited `__init__` in subclasses), give arguments in `args` and `kargs` (tuple and dict), give a `name` to identify the thread - group currently not used (None).
`th = threading.Thread(group, target, name, args, kargs)`
`th.start()` ➤ start thread activity (in another thread)
`th.run()` ➤ thread code to execute - call target if not overridden
`th.join(timeout)` ➤ wait for the termination or timeout elapsed (float_delay, default to `None` for infinite)
`th.getName() → str`: thread associated name
`th.setName(name)` ➤ set thread associated name (initial name set by class)
`th.isAlive() → bool`: test thread alive (started and run() not terminated)
`th.isDaemon() → bool`: test thread have daemon flag
`th.setDaemon(daemonic)` ➤ set thread daemon flag - must be called before start. Initial flag inherited from creating thread. Python process exit only after last non-daemon thread termination.

| A thread can't be killed or paused externally by another thread.

Thread Local Storage

Class `threading.local` attributes values are thread local.
 Subclass it or use it as a namespace.
`tlsdata = threading.local()`
`tlsdata.x = 1`

Delayed Start Thread

Class `threading.Timer` is a subclass of `Thread` which effectively run after a specified interval from its start.
`t = threading.Timer(interval, function, args=[], kwargs={})`
`t.cancel()` ➤ timer will never run - must not be already running
 Create a timer that will run function with arguments `args` and keyword arguments `kargs`, after interval seconds have passed.

Mutual Exclusion

Classes `threading.Lock` and `threading.RLock` provide mutual exclusion between threads. `Lock` doesn't allow a thread to re-acquire a lock it already owns, `RLock` does (reentrant-lock).
`lock = threading.Lock()`
`lock = threading.RLock()`
`lock.acquire([blocking]) → bool/None`: acquire the lock. `blocking` unspecified : wait & return `None`; `blocking` true : wait & return `True`; `blocking` false : don't wait (try) & return `True/False`
`lock.release()` ➤ unlock a previously acquired lock

Must release a lock same times as it was acquired.

Good practice to `acquire/release` locks in `try/finally` blocks.

For portable inter-process mutex, see third party `glock.py` module.

Events

Class `threading.Event` is a synchronisation flag with thread blocking mechanism to wait for the flag.
`evt = threading.Event()` ➤ new event, with internal flag set to False
`evt.isSet() → bool`: value of event internal flag
`evt.set()` ➤ set event internal flag to true - unlock waiting threads
`evt.clear()` ➤ set event internal flag to False
`evt.wait([timeout])` ➤ wait for event internal flag to be true - timeout is a float_delay (default to `None`=infinite blocking)

General purpose events scheduler

Module `sched` provides such a tool, adaptable to your needs ('time' unit is yours).
`sc = sched.scheduler(timefunc, delayfunc)` ➤ `scheduler`: `timefunc` return numbers measuring time, `delayfunc(n)` wait n time (same unit as `timefunc` output) - typically `sc = sched.scheduler(time.time, time.sleep)`
`sc.enterabs(time, priority, action, args)` ➤ evtid: schedule a new event, will call action (*args) at time
`sc.enter(delay, priority, action, args)` ➤ evtid: schedule a new event, will call action (*args) after delay
`sc.cancel(evtid)` ➤ remove scheduled event - may raise `RuntimeError`
`sc.empty() → bool`: test if scheduler events queue is empty
`sc.run()` ➤ run scheduled events at their scheduling time - see docs

Semaphores

Classes `threading.Semaphore` and `threading.BoundedSemaphore` provide simple semaphore for resources counting (without/with counter checking).
`sem = threading.Semaphore([value=1])` ➤ semaphore with initial counter
`sem = threading.BoundedSemaphore([value])`
`sem.acquire([blocking]) → bool/None`: acquire the semaphore (consume one resource). `blocking` unspecified : wait & return `None`; `blocking` true : wait & return `True`; `blocking` false : don't wait (try) & return `True/False`
`sem.release()` ➤ release the semaphore (free one resource)

Condition Variables

Class `threading.Condition` allows threads to share state (data) protected via a `Lock`. Important : condition variables (lock) **must** be acquired when calling `wait`, `notify` or `notifyAll`. See Python docs.
`cond = threading.Condition([lock])` ➤ build new condition variable, use user provided lock (`Lock` or `RLock`) else build a new `RLock`
`cond.acquire(*args) → value`: acquire cond. var. lock, return lock.acquire()
`value`
`cond.release()` ➤ release cond. var. lock
`cond.wait([timeout])` ➤ wait until notified or timeout elapsed- timeout is a float_delay (default to `None`=infinite blocking). Release cond. var. lock and wait for a notification/timeout then re-acquire lock.
`cond.notify()` ➤ wake up one waiting thread (if any).
`cond.notifyAll()` ➤ wake up all waiting threads.

Synchronized Queues

Module `queue` provides a class `Queue` to store data in a synchronized FIFO queue, and two exception classes `Full` and `Empty`. In blocking mode, full queue block producers and empty queue block consumers (in non-blocking mode they raise exceptions). Other organization can be built with subclassing (see source for internal methods).
`q = queue.Queue(maxsize)` ➤ build new queue - infinite queue if maxsize<=0
`q.qsize() → int`: size of the queue - at call time
`q.empty() → bool`: test if queue size is 0 - at call time
`q.full() → bool`: test if queue size is maxsize - at call time
`q.put(item[, block[, timeout]])` ➤ put item in queue - `block` can be true/false, timeout can be `None`/float_delay. May raise `Queue.Full` exception.
`q.put_nowait(item)` ➤ same as `put(item, False)`
`q.get([block[, timeout]])` ➤ item: removed from queue - `block` can be true/false, timeout can be `None`/float_delay - may raise `Queue.Empty` exception
`q.get_nowait()` ➤ same as `get(False)`

PROCESS

Current Process

Standard module `os` has tools to get information about and manipulate current process and its environment.

Exiting

Normally Python process exit when there is no more non-daemon thread running.

`sys.exit([arg=0])` ➤ exit via a `SystemExit` exception (may be catch) - arg is exit code
`os._exit(n)` ➤ exit without cleanup
`os.abort()` ➤ exit via a `SIGABRT` signal (signal may be handled)

Following exit codes are defined in `os` (Unix) :

<code>EX_OK</code>	no error
<code>EX_USAGE</code>	command used incorrectly
<code>EX_DATAERR</code>	incorrect input data
<code>EX_NOINPUT</code>	unavailable/inaccessible input
<code>EX_NOUSER</code>	unknown user
<code>EX_NOHOST</code>	unknown host
<code>EX_UNAVAILABLE</code>	required service unavailable
<code>EX_SOFTWARE</code>	internal error
<code>EX_OSERR</code>	OS error
<code>EX_OSFILE</code>	missing/inaccessible file
<code>EX_CANTCREAT</code>	can't create output
<code>EX_IOERR</code>	error during file I/O
<code>EX_TEMPFAIL</code>	temporary failure
<code>EX_PROTOCOL</code>	illegal/invalid/not understood protocol exchange
<code>EX_NOPERM</code>	not enough permissions (out of file perms)
<code>EX_CONFIG</code>	configuration problem
<code>EX_NOTFOUND</code>	missing data

You can install exit functions (for normal exit) with module `atexit`.

`register(func,[*,args,**kargs])` ➤ register function to be called with args and kargs

Registered functions are called in reverse order of registration.

Bypassed when process is terminated by a signal, an internal error, or an `os._exit`.

Environment Variables

`environ → dict`: environment variables - modification call `putenv` if supported
`getenv(varname[, default=None]) → str`: environment variable value
`putenv(varname, value)` ➤ set environment variable - affect later started subprocess - may cause memory leaks (see platform documentation)

Some functions also in `os.path`:

`expanduser(path) → str`: path with initial "`~`" or "`~user`" replaced
`expandvars(string) → str`: string with `$name` or `$(name)` environment variable replaced

Directory, Files, Terminal

| See also [Console & Interactive Input/Output \(p1\)](#), and [Files - Terminal Operations \(p1\)](#).

`chdir(path)` ➤ change current working directory to `path`
`fchdir(fd)` ➤ change current working directory to thus represented by file descriptor
`getcwd() → str`: current working directory
`getcwdu() → unicode`: current working directory
`chroot(path)` ➤ change process file-system root to `path` (Unix)
`umask(mask) → int`: set current numeric umask and return previous one
`ctermid() → str`: filename of controlling terminal (Unix)
`getlogin() → str`: name of user logged on controlling terminal (Unix)

User, process, group IDs

| `pid: process id, gid: group id, uid: user id`
`getpid() → int`: current pid
`getegid() → int`: effective gid (Unix)
`setegid(egid)` ➤ set process effective gid (Unix)
`geteuid() → int`: effective uid (Unix)
`seteuid(euid)` ➤ set process effective uid (Unix)
`getgid() → int`: real gid (Unix)
`setgid(gid)` ➤ set process gid (Unix)
`getuid() → int`: current process' uid (Unix)
`setuid(uid)` ➤ set process current uid (Unix)

setregid(rgid, egid) ➤ set process real and effective gid (Unix)
setreuid(ruid, euid) ➤ set process real and effective uid (Unix)
getpgid() → **int**: current gid (Unix)
getgroups() → **[int]**: list of supplemental associated gid (Unix)
setgroups(groups) ➤ set list of supplemental associated gid (Unix)
setpgrp() ➤ call system function¹ (Unix)
getppid() → **int**: parent's pid (Unix)
setsid() ➤ call system function¹ (Unix)
getpid(pid) → **int**: process group id of process id pid (0=current) (Unix)
getsid(pid) ➤ call system function¹ (Unix)
setpgid(pid, pgrp) ➤ set process pid group to pgrp¹ (Unix)

¹ See manual for semantics.

Timings, Priority

times() → **(ut, st, cut, cst, ert)**: (float_delay{5}): user time, system time, children's user time, children's system time, elapsed real time
nice(increment) → **int**: renice process - return new niceness (Unix)

Memory

lock(op) ➤ lock program segments into memory - see <sys/lock.h> for op values (Unix)

Host Informations

strerror(code) → **str**: error message for the error code
uname() → **tuple**: current operating system identification, (sysname, nodename, release, version, machine) (recent Unix)
sys.byteorder → **str**: host native byte order **big** or **little**
sys.winver → **str**: version number for registry keys (Windows)
sys.platform → **str**: platform identifier (ex. **linux2**)

Following data are in **os** and in **os.path**.
defpath → **str**: search path for **os.exec*P()** and **os.spawn*P()** if environment PATH not defined
linesep → **str**: end of line char(s) for the platform
devnull → **str**: file path of null device

Python Informations

sys.builtin_module_names → **(str)**: names of modules compiled into interpreter
sys.copyright → **str**: copyright of interpreter
sys.hexversion → **int**: Python version with one digit by byte
sys.version → **str**: interpreter version + build + compiler
sys.dllhandle → **int**: handle of Python DLL (Windows)
sys.executable → **str**: name of interpreter executable binary
sys.prefix → **str**: directory prefix for platform independant Python files
sys.api_version → **int**: version of Python C API
sys.version_info → **(int{3}, str, int)**: (major, minor, micro, releaselevel, serial) - release in **alpha**, **beta**, **candidate**, **final**

Signal Handling

Standard module **signal**. See doc for general rules about signals usage in Python.

Signal handlers are callable **f(signalnum, stackframe)**.

alarm(time) → float_delay: previous alarm remaining time - request a new SIGALRM in time seconds - cancel previous one - time≠0 (Unix)

alarm(0) → float_delay: previous alarm remaining time - cancel previous alarm (Unix)

getsignal(signalnum) → fct: current signal handler or SIG_IGN or SIG_DFL or None (handler not installed from Python)

pause() ➤ sleep process until a signal is received (Unix)

signal(signalnum, handler) → fct: previous handler for signal (as **getsignal**) - install new handler (maybe SIG_IGN or SIG_DFL too) - only callable in main thread

Following signal constants are defined :

SIG_DFL → 0: default signal handler function

SIG_IGN → 1: ignore signal handler function
NSIG → **int**: highest signal number +1

Module also defines signal numbers (Posix examples - runtime definition is platform dependant) :

SIGHUP	terminal or control processus disconnection
SIGINT	keyboard interrupt
SIGQUIT	quit request from keyboard
SIGILL	illegal instruction
SIGABRT	abort stop signal
SIGFPE	floating point error
SIGKILL	the KILL signal
SIGSEGV	invalid memory reference
SIGPIPE	pipe write without reader
SIGNALRM	alarm timer elapsed
SIGTERM	termination signal
SIGUSR1	user signal 1
SIGUSR2	user signal 2
SIGCHLD	terminated/stopped child
SIGCONT	continue process (if stopped)
SIGSTOP	stop process
SIGTSTP	stop request from keyboard
SIGTTIN	read on tty while in background
SIGTTOU	write on tty while in background

... → see your platform documentation (**man 7 signal** on Linux). Functions to send signals are in **os** module :

kill(pid, sig) ➤ kill process pid with signal sig (Unix)
killpg(pgid, sig) ➤ kill process group pgid with signal sig (Unix)

Simple External Process Control

Use standard module **subprocess**. It wraps external process creation and control in **Popen** objects. Child process exceptions raised before execution are re-raised in parent process, exceptions will have **child_traceback** attribute (string).

Note : **subprocess** tools will never call /bin/sh implicitly.

PIPE → -1: constant value used for **Popen** stdin stdout stderr params
call(*args, **kwargs) → **int**: run command with arguments, wait for completion, return retcode - convenient wrapper around **Popen** object

Use **Popen** objects as process control tools :

p = Popen(args, bufsize=0, executable=None, stdin=None, stdout=None, stderr=None, preexec_fn=None, close_fds=False, shell=False, cwd=None, env=None, universal_newlines=False, startupinfo=None, creationflags=0)
 args is a string/list of strings ["command", "arg1", "arg2", ...]
 bufsize like for **file/open** functions
 executable can be used to provide command in place of args[0]
 stdin, stdout and stderr can be **PIPE** to capture file and communicate with subprocess

preexec_fn is called just before child process execution
close_fds bool force subprocess inherited files to be closed, except 0 1 and 2
shell bool force execution of command through the shell
cwd string specify working directory to set for subprocess start
env dictionnary specify environment variables for subprocess
universal_newlines translate all newlines to \n (like U mode for files)
startupinfo and **creationflags** are optional informations for process creation under Windows

p.poll() → **int/None**: check child process termination, return returncode attribute

p.wait() → **int**: wait for child process to terminate, return returncode attribute
p.communicate(input=None) → **(stdout, stderr)**: send data (input string) to stdin, read data from stdout/stderr until end-of-file, wait process to terminate, return read values - data read is buffered in memory

p.stdin → **file/None**: standard input from chil process if captured
p.stdout → **file/None**: standard output from chil process if captured

p.stderr → **file/None**: error output from chil process if captured
p.pid → **int**: process ID of child process

p.returncode → **int/None**: child process return code (**None** if not terminated) - on Unix -N for subprocess terminated by signal N

Use **subprocess** module when possible (cleaner, simpler interface, see docs for examples). See also external module **pexpect**.

Advanced External Process Control

See following functions from **os** module.

exec1(path, [arg[,...]])
execle(path, [arg[,...]], env)
execlp(file, [arg[,...]])
execpe(file, [arg[,...]], env)
execv(path, args)
execve(path, args, env)
execvp(file, args)
execvpe(file, args, env)

With **exec...** new program replace current process (fct don't return). '**p**' versions use PATH to locate executable file. '**e**' versions use a dict env to setup new program environment. '**l**' versions use a positioned **arg**, '**v**' versions use list of variable **args**.

spawnl(mode, path, [arg[,...]]) → **int**
spawnm(mode, path, [arg[,...]], env) → **int**
spawnlp(mode, file, [arg[,...]]) → **int**
spawnlpe(mode, file, [arg[,...]], env) → **int**
spawnnv(mode, path, args) → **int**
spawnve(mode, path, args, env) → **int**
spawnvp(mode, file, args) → **int**
spawnvpe(mode, file, args, env) → **int**

With **spawn...** new process is created. 'lpev' versions like for **exec...**.

If mode is **P_NOWAIT** or **P_NOWAITO**, return child pid (Unix) or process handle (Windows). If mode is **P_WAIT**, wait child termination and return its exit code (>0) or its killing signal (<0). On Windows mode can be, **P_DETACH** (same as **P_NOWAIT** but new process detached from calling process console) or **P_OVERLAY** (current process is replaced).

fork() → pid: fork a child process, return 0 in child, child pid in parent (Unix)
forkpty() → **{int, 2}**: (pid,fd): fork using new pseudo-terminal for child - pid is 0 in child, child pid in parent - fd pseudo-terminal master end (Unix)
startfile(path) ➤ open file path as if double-clicked in explorer (Windows)
system(cmd) → value: execute string cmd in subshell - generally return (pid/status) (Unix) or status (Windows)

wait() → **{int, 2}**: (pid, status) wait completion of a child process (Unix) - status=0xZZTT where ZZ=exit code, TT=signal num

waitpid(pid, options) → **(int, 2)**: (pid, status) (Unix):
 pid>0 wait for specific process,
 pid=0 wait for any child in process group,
 pid=-1 wait for any child of current process,
 pid<-1 wait for any process in process group -pid option in WNOHANG, WCONTINUED, WUNTRACED status=0xZZTT where ZZ=exit code, TT=signal num

waitpid(pid, options) → **(int, 2)**: (pid, status) (Windows): pid is any process handle (>0) - option ignored - status=0xZZ00 where ZZ=exit code

Status informations extraction

WCOREDUMP(status) → **bool**: test process generated core-dump (Unix)
WIFCONTINUED(status) → **bool**: test process continued from a job control stop (Unix)
WIFSTOPPED(status) → **bool**: test process stopped (Unix)
WIFSIGNALED(status) → **bool**: test exited on signal (Unix)
WIFEXITED(status) → **bool**: test process exited via exit(2) system call (Unix)
WEXITSTATUS(status) → **int**: if exited via exit(2), return exit parameter (Unix)
WSTOPSIG(status) → **int**: signal having stopped process (Unix)
WTERMSIG(status) → **int**: signal having exited process (Unix)

Pipes On Process

Three functions available in `popen2` module (and in `os` module where `stdin/stdout` return values are inverted).

`popen2(cmd[, bufsize[, mode]]) → (file{2})`: (stdout,stdin): execute cmd as sub-process

`popen3(cmd[, bufsize[, mode]]) → (file{3})`: (stdout,stdin,stderr): execute cmd as sub-process

`popen4(cmd[, bufsize[, mode]]) → (file{2})`: stdout_stderr,stdin): execute cmd as sub-process
Where `bufsize` is buffer size for I/O pipes, and `mode` is '`b`' (binary streams) or '`t`' (text streams, default). Param `cmd` is a string passed to `os.system` - on Unix it can be a sequence of strings passed directly to the program without shell intervention.

On Unix, `popen2` module also defines `Popen3` class (used in `popen2` and `popen3` functions) and `Popen4` class (used in `popen4` function):
`Popen3(cmd[, capturestderr[, bufsize]]) → Popen3`: cmd: str shell command, capturestderr: bool (default `False`)
`Popen4(cmd[, bufsize]) → Popen4`
Popen3 and Popen4 objects have following attributes:
`p.poll() → int`: child return code or `-1` if child not terminated
`p.wait() → int`: child return code
`p.fromchild → file`: output from child (stdout and stderr for Popen4)
`p.tochild → file`: input to child
`p.childerr → file`: error output from child if requested else None (None for Popen4)
`p.pid → int`: child process pid
See also module `commands` (Unix).

XML PROCESSING

Several modules to process XML are available. Some with standard SAX and DOM interfaces, others with more Pythonic interfaces.
See also third party `PyXML` extension package.

SAX - Event-driven

Base functions in `xml.sax` module.

`make_parser([parser_list]) → XMLReader`: built from first parser available

`parse(filename_or_stream, content_handler[, error_handler])` ▶ parse document using first parser available

`parseString(string, content_handler[, error_handler])` ▶ parse string using first parser available

XMLReader Interface

Defined in `xml.sax.xmlreader`.

`p = xml.sax.make_parser() → XMLReader object`

`p.parse(source)` ▶ completely parse source - source is filename or URL or file-like or InputSource- input byte streams (not character streams)

`p.getContentHandler() → ContentHandler`: current one

`p.setContentHandler(handler)` ▶ set current content handler

`p.getDTDHandler() → DTDHandler`: current one

`p.setDTDHandler(handler)` ▶ set current DTD handler

`p.getEntityResolver() → EntityResolver`: current one

`p.setProperty(handler)` ▶ set current entity resolver

`p.setErrorHandler(handler)` ▶ set current error handler

`p.setLocale(locale)` ▶ set locale for errors and warnings

`p.getFeature(featurename)` → current settings for feature¹

`p.setFeature(featurename, value)` ▶ set feature to value

`p.getProperty(propertyname)` → current settings for property²

`p.setProperty(propertyname, value)` ▶ set property to value

There is also an `IncrementalParser` subclass interface with:

`p.feed(data)` ▶ process a chunk of data

`p.close()` ▶ assume end of document, check well-formedness, cleanup

`p.reset()` ▶ after close, prepare new parsing

¹ Feature names in `xml.sax.handler` as `feature_xxx`.

² Property names in `xml.sax.handler` as `property_xxx`.

InputSource Interface

Provide source of data for parser.

`isrc.setPublicId(id)` ▶ set public identifier
`isrc.getPublicId()` → unicode: public identifier
`isrc.setSystemId(id)` ▶ set system identifier
`isrc.getSystemId()` → unicode: system identifier
`isrc.setEncoding(encoding)` ▶ set encoding - must be a string acceptable for an XML encoding declaration - ignored if InputSource contains character stream
`isrc.getEncoding()` → str/None (if unknown)
`isrc.setByteStream(bytfile)` ▶ set input byte stream - ignored if InputSource contains character stream
`isrc.getByteStream()` → byte stream
`isrc.setCharacterStream(charfile)` ▶ set character (Unicode) stream
`isrc.getCharacterStream()` → character stream

Locator Interface

Instances of Locator provide these methods:

`loc.getLineNumber() → int`: line number where current event ends
`loc.getColumnNumber() → int`: column number where current event ends
`loc.getPublicId()` → str: public identifier of current event
`loc.getSystemId()` → str: system identifier of current event

Attributes Interface

Also implement parts mapping protocol (`copy()`, `get()`, `has_key()`, `items()`, `keys()`, and `values()`).
`ai.getLength() → int`: number of attributes
`ai.getNames() → [unicode]`: names of attributes
`ai.getType(name) → type of attribute name - normally 'CDATA'`
`ai.getValue(name) → unicode`: value of attribute name

AttributesNS Interface

Also implement `Attributes` interface.

`ansi.getValueByQName(name)` → unicode: value of attribute qualified name
`ansi.getNameByQName(name)` → (unicode{2}): (namespace, localname) for qualified name
`ansi.getQNameByName(namepair)` → unicode: qualified name for (namespace, localname)
`ansi.getNames() → [unicode]`: qualified names of all attributes

ContentHandler Interface

Defined in `xml.sax.handler`. Its methods are handlers called when parser find XML structures.

`ch = MyContentHandler() → ContentHandler` subclass object
`ch.setDocumentLocator(locator)` ▶ set locator for origin of document events
`ch.startDocument()` ▶ beginning of document
`ch.endDocument()` ▶ end of document
`ch.startPrefixMapping(prefix, uri)` ▶ begin of a prefix-URI namespace mapping - see doc
`ch.endPrefixMapping(prefix)` ▶ end of a prefix-URI namespace mapping
`ch.startElement(name, attrs)` ▶ start of an element - non-namespace mode - attrs has an `Attributes` interface (may be reused - copy data)
`ch.endElement(name)` ▶ end of an element - non-namespace mode
`ch.startElementNS(name, qname, attrs)` ▶ start of an element - namespace mode - name is (uri,localname) - qname is raw XML name - attrs has an `AttributesNS` interface (may be reused - copy data) - qname may be `None` (upon feature_namespace_prefixes)
`ch.endElementNS(name, qname)` ▶ end of an element - namespace mode
`ch.characters(content)` ▶ character data - content is str or unicode
`ch ignorableWhitespace whitespace` ▶ whitespaces
`ch.processingInstruction(target, data)` ▶ processing instruction
`ch.skippedEntity(name)` ▶ entity not processed

DTDHandler Interface

Defined in `xml.sax.handler`. Its methods are handlers called when parser need DTD relative work.

`dh = MyDTDHandler() → DTDHandler` subclass object
`dh. notationDecl(name,publicId,systemId)` ▶ notation declaration
`dh.unparsedEntityDecl(name,publicId,systemId,ndata)` ▶ unparsed entity declaration

EntityResolver Interface

Defined in `xml.sax.handler`. Its methods are handlers called when parser need external entity resolution.

`er = MyEntityResolver() → EntityResolver` interface object
`er.resolveEntity(publicId,systemId)` → str/InputSource: default return systemId

Exceptions

Defined in `xml.sax` module.

`SAXException(msg[, exception])`
`SAXParseException(msg, exception, locator)` — invalid XML
`SAXNotRecognizedException(msg[, exception])`
`SAXNotSupportedException(msg[, exception])`

ErrorHandler Interface

Defined in `xml.sax.handler`. Its methods are handlers called when parser detect an error. Their `exception` parameters get SAXParseException objects.

`eh = MyErrorHandler() → ErrorHandler` interface object
`eh.error(exception)` ▶ recoverable error - parsing will continue if method return
`eh.fatalError(exception)` ▶ unrecoverable error - parsing must stop
`eh.warning(exception)` ▶ minor warning - parsing will continue if method return

SAX Utilities

Defined in `xml.sax.saxutils`.

`escape(data[, entities]) → str: &<>` escaped - escape other entities replacing mapping strings (keys) by corresponding identifiers
`unescape(data[, entities]) → str: & < >` unescaped - unescape other entities replacing mapping identifiers (keys) by corresponding strings
`quoteattr(data[, entities]) → str: as escape + quote string to be used as attribute value`

`prepare_input_source(source[, base]) → InputSource`: source is string, file-like, or InputSource - base is an URL string - return InputSource for parser

Class `XMLGenerator` is a `ContentHandler` writing SAX events into an XML document (ie. reproduce original document).

`XMLGenerator([out[, encoding]])` → content handler: out file-like, default to sys.stdout - encoding default to 'iso-8859-1'

Class `XMLFilterBase` is a default pass-through events, can be subclassed to modify events on-fly before their processing by application handlers.

`XMLFilterBase(base)` → events filter

Features & Properties

Defined in `xml.sax.handler`. Dont give their value, but their meaning.

`feature_namespaces1 → True`: perform namespace processing. `False`: no namespace processing (so no namespace prefixes).
`feature_namespace_prefixes1 → True`: report original prefixed names and attributes used for namespace declarations.
`feature_string_interning1 → True`: intern all names (elements, prefixes, attributes, namespace URIs, local names).
`feature_validation1 → True`: report all validation errors.
`feature_external_ges1 → True`: include all external general (text) entities.
`feature_external_pes1 → True`: include all external parameter entities, including the external DTD subset.

`all_features` → list of all features
`property_lexical_handler` → optional extension handler for lexical events (like comments).
`property_declarator_handler` → optional extension handler for DTD-related events other than notations and unparsed entities.
`property_dom_node`¹ → visited DOM node (if DOM iterator) when parsing, else root DOM node.
`property_xml_string` → literal string source of current event (read only property).
`all_properties` → list of all properties names
¹ can only be read during parsing (and modified before).

DOM - In-memory Tree

Defined in `xml.dom`. Two function to register/access DOM processors, and some constants.
`registerDOMImplementation(name, factory)` ▶ register DOM implementation factory
`getDOMImplementation([name[, features]])` → DOM implementation - name may be `None` - may found name in env. var `PYTHON_DOM` - features is `[(featurename,version),...]`
`EMPTY_NAMESPACE` → no namespace associated with a node
`XML_NAMESPACE` → xml prefix namespace
`XMLNS_NAMESPACE` → namespace URI for namespace declarations - DOM level 2 specification definition
`XHTML_NAMESPACE` → URI of XHTML namespace (XHTML 1.0)

DOMImplementation

`impl.hasFeature(feature, version)` → bool: test for supported feature in an implementation

Node

Defined in `xml.dom`, class `Node` is parent of XML components nodes classes.
`o.nodeType` → int: (ro) in `ELEMENT_NODE`, `ATTRIBUTE_NODE`, `TEXT_NODE`, `CDATA_SECTION_NODE`, `ENTITY_NODE`, `PROCESSING_INSTRUCTION_NODE`, `COMMENT_NODE`, `DOCUMENT_NODE`, `DOCUMENT_TYPE_NODE`, `NOTATION_NODE`
`o.parentNode` → `Node/None`: (ro) - None for `Attr` nodes
`o.attributes` → `NamedNodeMap/None`: attribute objects for elements, else `None`
`o.previousSibling` → `Node/None`: (ro) previous node in parent's children
`o.nextSibling` → `Node/None`: (ro) next node in parent's children
`o.childNodes` → `[Node]`: (ro) list of subnodes
`o.firstChild` → `Node/None`: (ro) first subnode
`o.lastChild` → `Node/None`: (ro) last subnode
`o.localName` → `unicode/None`: (ro) element name without namespace prefix
`o.prefix` → `unicode/None`: (ro) element namespace prefix - may be empty string or `None`
`o.namespaceURI` → `unicode/None`: (ro) URI associated to element namespace
`o.nodeName` → `unicode/None`: (ro) usage specified in subclasses
`o.nodeValue` → `unicode/None`: (ro) usage specified in subclasses
`o.hasAttributes()` → bool: test any attribute existence
`o.hasChildNodes()` → bool: test any subnode existence
`o.isSameNode(other)` → bool: test other refers same node
`o.appendChild(newChild)` → new Child: add new child node at end of subnodes - return new child
`o.insertBefore(newChild, refChild)` → new Child: add new child node before an existing subnode - at end of subnodes if refChild is `None` - return new child
`o.removeChild(oldChild)` → `oldChild`: remove a subnode, return it - when no longer used, must call `oldChild.unlink()`
`o.replaceChild(newChild, oldChild)` ▶ replace existing subnode with a new one
`o.normalize()` ▶ join adjacent text nodes
`o.cloneNode(deep)` → `Node`: if deep, clone subnodes too - return clone

NodeList

A sequence of nodes, usable as a Python sequence (maybe modifiable upon implementation).

`o.length` → int: number of nodes in the sequence
`o.item(i)` → `Node/None`: ith item in the list

DocumentType

Subclass of `Node`.

`o.nodeType` → `DOCUMENT_TYPE_NODE`
`o.publicId` → `unicode/None`: public identifier for external subset of DTD
`o.systemId` → `unicode/None`: system identifier URI for external subset of DTD
`o.internalSubset` → `unicode/None`: complete internal subset from the document - without brackets
`o.name` → `unicode/None`: name of root element (as given in DOCTYPE)
`o.entities` → `NamedNodeMap/None`: definition of external entities
`o.notations` → `NamedNodeMap/None`: definition of notations

Document

Subclass of `Node`.

`o.nodeType` → `DOCUMENT_NODE`
`o.documentElement` → `Element`: root element of the document
`o.createElement(tagName)` → `Element`: new¹ element node
`o.createElementNS(namespaceURI, tagName)` → `Element`: new¹ element node with namespace - tagName may have prefix
`o.createTextNode(data)` → `Element`: new¹ text node containing data
`o.createComment(data)` → `Element`: new¹ comment node containing data
`o.createProcessingInstruction(target, data)` → `Element`: new¹ processing instruction node containing target and data
`o.createAttribute(name)` → `Element`: new¹ attribute node
`o.createAttributeNS(namespaceURI, qualifiedName)` → `Element`: new¹ attribute node with namespace - tagName may have prefix
`o.getElementsByTagName(tagName)` → `NodeList`: search for all descendants (deep search) having type tagName
`o.getElementsByTagNameNS(namespaceURI, localName)` → `NodeList`: search for all descendants (deep search) having namespaceURI and localName (part after prefix)

¹ New nodes are standalone - you must insert/associate them in/to document parts.

Element

Subclass of `Node`.

`o.nodeType` → `ELEMENT_NODE`
`o.tagName` → `unicode`: element type name - with namespace may contain colons
`o.getElementsByTagName(tagName)` → `NodeList`: search for all descendants (deep search) having type tagName
`o.getElementsByTagNameNS(namespaceURI, localName)` → `NodeList`: search for all descendants (deep search) having namespaceURI and localName (part after prefix)
`o.getAttribute(attributename)` → `unicode`: attribute value
`o.getAttributeNode(attributename)` → `Attr`: attribute node
`o.getAttributeNS(namespaceURI, localName)` → `unicode`: attribute value
`o.getAttributeNodeNS(namespaceURI, localName)` → `Attr`: attribute node
`o.removeAttribute(attributename)` ▶ remove attribute by name - ignore missing attribute
`o.removeAttributeNode(oldAttr)` → `Attr`: remove and return oldAttr
`o.removeAttributeNS(namespaceURI, localName)` ▶ remove attribute by namespace URI and name - ignore missing attribute
`o.setAttribute(attributename, value)` ▶ set attribute string value
`o.setAttributeNode(newAttr)` → `Attr`: set attribute from a new Attr node - return old one
`o.setAttributeNodeNS(newAttr)` → `Attr`: set attribute from a new Attr node with namespace URI and local name - return old one
`o.setAttributeNS(namespaceURI, qname, value)` → `Attr`: set attribute string value from a namespaceURI and qname (whole attribute name) - return old one

Attr

Subclass of `Node`.

`o.nodeType` → `ATTRIBUTE_NODE`
`o.name` → `unicode`: (ro) attribute full name - may have colons
`o.localName` → `unicode`: (ro) attribute name - part after colons
`o.prefix` → `unicode`: (ro) attribute prefix - part before colons - may be empty

NamedNodeMap

A mapping of nodes - experimentally usable as a Python mapping.
`o.length` → int: length of attributes list
`o.item(index)` → `Attr`: attribute at index - arbitrary but consistent order

Comment

Subclass of `Node`. Cannot have subnode.

`o.nodeType` → `COMMENT_NODE`
`o.data` → `unicode`: content of the comment, without `<!--` and `-->`

Text

Subclasses of `Node`. Cannot have subnode. Text part in an element.
`o.nodeType` → `TEXT_NODE`
`o.data` → `unicode`: text content

CDATASection

Subclasses of `Node`. Cannot have subnode. CDATA section in a document, may have multiple CDATASEction nodes for one CDATA.
`o.nodeType` → `CDATA_SECTION_NODE`
`o.data` → `unicode`: CDATA content

ProcessingInstruction

Subclasses of `Node`. Cannot have subnode. Represents a processing instruction in the XML document; this inherits from the Node interface and cannot have child nodes.

`o.nodeType` → `PROCESSING_INSTRUCTION_NODE`
`o.target` → `unicode`: (ro) processing instruction content up to first whitespace
`o.data` → `unicode`: (ro) processing instruction content after first whitespace

Exceptions

Python map DOM error codes to exceptions.

DOM codes constants	Exception
<code>DOMSTRING_SIZE_ERR</code>	<code>DomstringSizeErr</code>
<code>HIERARCHY_REQUEST_ERR</code>	<code>HierarchyRequestErr</code>
<code>INDEX_SIZE_ERR</code>	<code>IndexSizeErr</code>
<code>INUSE_ATTRIBUTE_ERR</code>	<code>InuseAttributeErr</code>
<code>INVALID_ACCESS_ERR</code>	<code>InvalidAccessErr</code>
<code>INVALID_CHARACTER_ERR</code>	<code>InvalidCharacterErr</code>
<code>INVALID_MODIFICATION_ERR</code>	<code>InvalidModificationErr</code>
<code>INVALID_STATE_ERR</code>	<code>InvalidStateErr</code>
<code>NAMESPACE_ERR</code>	<code>NamespaceErr</code>
<code>NOT_FOUND_ERR</code>	<code>NotFoundErr</code>
<code>NOT_SUPPORTED_ERR</code>	<code>NotSupportedErr</code>
<code>NO_DATA_ALLOWED_ERR</code>	<code>NoDataAllowedErr</code>
<code>NO_MODIFICATION_ALLOWED_ERR</code>	<code>NoModificationAllowedErr</code>
<code>SYNTAX_ERR</code>	<code>SyntaxErr</code>
<code>WRONG_DOCUMENT_ERR</code>	<code>WrongDocumentErr</code>

`exception.code` → int: DOM code corresponding to exception
`exception.msg` → string: message for exception

DOMEception

`DomstringSizeErr` — implementation limit reach
`HierarchyRequestErr` — insert at wrong place
`IndexSizeErr` — index range error
`InuseAttributeErr` — Attr node already used in tree
`InvalidAccessErr` — param/operation unsupported by object
`InvalidCharacterErr` — character invalid in the context
`InvalidModificationErr` — can't modify node type
`InvalidStateErr` — try to use an undefined/unusable object

NamespaceErr — change forbidden in namespace context
NotFoundError — node don't exist in referenced context
NotSupportedErr — operation/type unsupported by implementation
NoDataAllowedErr — no data for this node
NoModificationAllowedErr — can't modify object
SyntaxErr — invalide/illegal string
WrongDocumentErr — impl. can't migrate nodes between docs

DATABASES

See Python.org wiki for a list of database interface modules.
Some interfaces are for external DB engines (MySQL, PostgreSQL, BerkeleyDB, SQLite, Metakit...), other for pure Python DB engines (gadfly, ZODB, KirbyBase, Buzhug...).

Generic access to DBM-style DBs

Standard module **anydbm** is a front-end to some available DB modules : **dbhash** (→**bsddb**→Berkeley DB), **gdbm** (→GNU dbm), **dbm** (→unix dbm) and the slow portable fallback **dumbdbm**.

Data stored in DBM-style files are accessed via a dictionary-like interface where keys and values must be **str**.

open(*filename*[, *flag*[, *mode*]]) → dictionary-like object: *flag* in 'r' (read-default), 'w' (write), 'c' (create if doesn't exist), 'n' (create new empty) - *mode* is unix mode flags for creation

error → tuple of exception classes from DB modules (anydbm.error,...)

Uses module **whichdb** to identify right DB module for existing file.

For new files, use first available DB module in the order of the list.

This is used by **shelve** module (see Persistence, p12).

DB modules can have specific functions related to their backend, see docs.

Standard DB API for SQL databases

Generally modules for SQL databases use the Standard Python Database API v2 (defined in PEP249).

API Informations

apilevel → **str**: currently '1.0' or '2.0' - '1.0' if undefined

threadsafety → **int**: level of thread safety

#	share module	share connections	share cursors
0	no	no	no
1	yes	no	no
2	yes	yes	no
3	yes	yes	yes

paramstyle → **str**: parameter marker for requests

value	params	example
'qmark'	Question mark style ¹	...WHERE name=?
'numeric'	Numeric, positional style ^{1 or 2}	...WHERE name=:1
'named'	Named style ²	...WHERE name=:name
'format'	ANSI C printf format codes ¹	...WHERE name=%s
'pyformat'	Python extended format codes ²	...WHERE name=%(name)s

¹ Parameters as positional values in a sequence.

² Parameters as named values in a map.

Exceptions

(**StandardError**)

Warning — important warning

Error — a catch all

InterfaceError — problem with interface (not database)

DatabaseError

DataBaseError — problem with data processing

OperationalError — problem during database operations

IntegrityError

InternalError

ProgrammingError — SQL programming related error

NotSupportedException

Exceptions classes may also be available as **Connection** objects

attributes (optional).

Connection

connect(*dsn*[, *user*[, *password*[, *host*[, *database*]]) → Connection object (interface defined as a guideline) - *dsn*=data source name string
CX.errorhandler → fct: (optional) handler for connection errors - errorhandler(connection, cursor/None, errorclass, errorvalue) - default handler fill cx.messages and may raise exceptions
CX.messages → [*exception class*, *exception value*]: (optional) messages received from database for operations with connection
CX.close() ▶ terminate connection (may rollback if not committed)
CX.commit() ▶ commit pending transactions
CX.rollback() ▶ rollback pending transactions (optionnal)
CX.cursor() → new **Cursor** object

Cursor

cu.arraysize → **int**: (RW) number of rows to fetch with **fetchmany** - default to 1
cu.connection → **Connection**: (optional) connection used by cursor
cu.description → [*name*, *type_code*, *display_size*, *internal_size*, *precision*, *scale*, *null_ok*] / **None**: describe result columns
cu.errorhandler → fct: (optional) handler for connection errors - errorhandler(connection, cursor, errorclass, errorvalue) - default handler fill cx.messages and may raise exceptions - inherited from connection
cu.lastrowid → **int/None**: (optional) row id of last modified column
cu.messages → [*exception class*, *exception value*]: (optional) messages received from database for operations with cursor
cu.rowcount → **int**: number of rows produced/affected by last request - **-1** or **None** if request cant touch rows
cu.rownumber → **int/None**: (optional) 0-based index of the cursor in the result set if available
cu.callproc(*procname*[, *parameters*]) → (*parameters*) - (optional) call DB stored procedure - in result out and inout parameters may have been replaced by procedure
cu.close() ▶ close the cursor

cu.execute(*oper*[, *params*]) ▶ prepare and execute DB request - *params*¹ is a sequence or a mapping (see module paramstyle variable)
cu.executemany(*oper*, *params_seq*) ▶ like execute, with a sequence of *params* (for multiple values)
cu.fetchone() → (*column_value*, ...) / **None**: next row of query result, None when no more data available
cu.fetchmany(*size*) → [(*column_value*)]: next set of rows of query result, empty list when no more data available - *size* default to *cu.arraysize*
cu.fetchall() → [*column_value*]: all remaining rows of query result, empty list when no more data available
cu.next() → (*column_value*) : (optional) next row of query result, raises **StopIteration** when no more data available
cu.nextset() → **True/None**: (optional) discards results up to next available set
cu.scroll(*value*[, *mode*]) ▶ (optional) - scroll cursor in current result set - mode is 'relative' (default) or 'absolute'.

cu.setinputsizes(*sizes*) ▶ predefine memory areas for **executexxx** operations parameters - *sizes*=[*param_size*, ...] - *param_size*=**Type** Object or **int** (max length of a string param) - *param_size*=**None** for no predefinition
cu.setoutputsizes(*size*[, *column*]) ▶ set column buffer size for fetches of large columns (e.g. LONGs, BLOBS, etc.) by **executexxx** - *column* is index in result - all columns if column not specified
cu.__iter__() → **Cursor**: (optional) object itself

¹ Method **getitem** is used to get values in params, using position or name. Can use **tuple** or **dict**... or your own class objects with its **getitem**.

If **next** and **iter** are defined, cursors are iterable.

DB types Constructors

Date(*year*, *month*, *day*) → object to hold a date value

Time(*hour*, *minute*, *second*) → object to hold a time value

Timestamp(*year*, *month*, *day*, *hour*, *minute*, *second*) → object to hold a time stamp value

DateFromTicks(*ticks*) → object to hold a date value from a given ticks value

TimeFromTicks(*ticks*) → object to hold a time value from a given ticks value

TimestampFromTicks(*ticks*) → object to hold a time stamp value from a given ticks value

Binary(*string*) → object to hold a long binary string value

SQL NULL values represented by Python **None**.

DB types Typecodes

STRING → string-based column (CHAR)

BINARY → long binary column (LONG, RAW, BLOBS)

NUMBER → numeric column

DATETIME → date/time column

ROWID → row ID column (CHAR)

BULK

Tools

Batteries included: **pdb** (Python debugger), code bench with **timeit** (p9). A must have: **pychecker**.

Take a look: **pylint**, **psyco**, **pyrex**, **pycount**, **trace2html**, **depgraph**, **coverage**, **pycover**, **Pyflakes**, **pyreverse**, **HAP**.

Links

Docs: <http://www.python.org/doc/>

FAQ Python: <http://www.python.org/doc/faq/>

PEPs: <http://www.python.org/dev/peps/> (Python Enhancement Proposal)

HOWTOs: <http://www.amk.ca/python/howto/>

Cookbook: <http://aspn.activestate.com/ASPN/Python/Cookbook/>

Dive Into: <http://www.diveintopython.org/>



©2005-2007 - Laurent Pointal <laurent.pointal@laposte.net>
V0.67 — 2007-4-29

License : Creative Commons [by nc sa].

PQRC at <http://laurent.pointal.org/python/pqrc>

Long Python Quick Reference at <http://rgruet.free.fr/>

Original Python reference at <http://www.python.org/doc>